Cumulative Index 1981–1983

Volumes 8, 9, and 10

SYMPOSIA

1981

March	AMBULATORY GYNECOLOGY
June	UPDATE ON DIGESTIVE DISEASES
September	MANAGEMENT OF THE PATIENT WITH MYOCARDIAL INFARCTION
December	INFECTIOUS DISEASES

1982

March	GERIATRIC MEDICINE
June	COMMON ENT PROBLEMS
September	NUTRITION
December	OPHTHALMOLOGY IN OFFICE PRACTICE

1983

March	HYPERTENSION
June	OBSTETRICS IN FAMILY PRACTICE
September	OFFICE DERMATOLOGY
December	DIABETES MELLITUS IN CHILDREN

Note: The volume year is in *italic* type.
Page numbers of symposia and article titles are in **boldface** type.

ABDOMINAL pain, chronic, in children, *1981:* June, **277–283**
Abortion, *1981:* March, 51–52
spontaneous, *1983:* June, **161–166**
Abruptio placentae, ultrasonographic diagnosis of, *1983:* June, 217–218
Abscess, peritonsillar, tonsillectomy and, *1982:* June, 360–362
Acetaminophen, hepatotoxic effects of, *1981:* June, 238–240
Acetylsalicylic acid, as antirheumatic, in elderly, *1982:* March, 191

Achalasia, *1981:* June, 183–185
cancer-induced, *1981:* June, 185
vigorous, *1981:* June, 188
Acid-peptic disease, cimetidine in, *1981:* June, **195–203**
Acne, cryosurgery for, *1983:* Sept., 472
exogenous causes of, *1983:* Sept., 394
vitamin A therapy in, *1982:* Sept., 613
Acne keloidis nuchae, in blacks, *1983:* Sept., 392–393
"Acne mechanica," in athletes, *1983:* Sept., 487
Acneiform eruption, drug-induced, *1983:* Sept., 371, 375
Acropustulosis, in black infants, *1983:* Sept., 391
Acyclovir, for herpes progenitalis, *1983:* Sept., 437
Adenitis, cervical, *1982:* June, 283–284
Adenoidal facies, adenoidectomy and, *1982:* June, 363
nasal obstruction and, *1982:* June, 391–392
Adenoidectomy, indications for, *1982:* June, **355–369**
Adenoma, hepatic, oral contraceptives and, *1981:* June, 247–248
of colon, *1981:* June, 338
pleomorphic, of salivary gland, *1982:* June, 299
Adenomatosis, polyendocrine, oral lesions in, *1983:* Sept., 506
Adenovirus pneumonia, *1981:* Dec., 682, 686
Adie's syndrome, *1982:* Dec., 683
Adolescent(s), anorexia nervosa in, *1982:* Sept., **517–530**
atopic dermatitis in, *1983:* Sept., 363–364
hypertension in, *1983:* March, **125–134**
menstrual abnormalities in, *1981:* March, **3–18**
sexuality of, *1981:* March, 61
Adrenal cortex, hypertension and, *1983:* March, **87–98**
Aerodigestive tract, in diagnosis of lump in neck, *1982:* June, 277–279
Age, diabetic diet and, *1983:* Dec., 602–604
diabetic retinopathy and, *1983:* Dec., 681
Agglutination, latex particle, *1981:* Dec., 596–597
Aging, esophageal symptoms and, *1981:* June, 192
herpes zoster and, *1981:* Dec., 719
sexuality and, *1981:* March, 62; *1982:* March, **65–69**
Airway, obstruction, in children, *1982:* June, **317–336**
lump in neck and, *1982:* June, 273
tonsillectomy and, *1982:* June, 359–362
Alcohol, as labor suppressant, *1983:* June, 300–301
Alcohol (*Continued*)
effects on fetus, *1983:* June, 154–155
intake, in lactation, *1982:* Sept,. 493
in pregnancy, *1982:* Sept., 486–487
Alcohol abuse, seizures in the elderly and, *1982:* March, 135
sexual dysfunction and, *1981:* March, 72–73
Aldosteronism, primary, *1983:* March, 91–97
Allen cards, in testing of visual acuity, *1982:* Dec., 663–664
Allergens, *1982:* June, 373–375
Allergic reaction(s), cutaneous, *1983:* Sept., 357–361
drug-induced, *1983:* Sept., **369–387.** See also under specific reaction, as *Urticaria.*
to insulin, *1983:* Dec., 696–698
to penicillin, *1981:* Dec., 741–742
Allergy, causes of, *1982:* June, 373–375
nasal manifestations of, *1982:* June, **378–381**
otologic manifestations of, *1982:* June, **381–382**
treatment of, *1982:* June, 375–377
Allergy testing, *1982:* June, 377–378
Alopecia, drug-induced, *1983:* Sept., 371, 375
exogenous causes of, *1983:* Sept., 394
Alpha-agonist agents, in hypertension, *1983:* March, 16
Alzheimer's disease, in elderly, *1982:* March, 151–157
Amaurosis fugax, visual loss in, *1982:* Dec., 693
Amblyopia, in children, *1982:* Dec., 666–668
Ambulation, early, after acute myocardial infarction, *1981:* Sept., 494–500
Amebiasis, in homosexuals, *1983:* Sept., 439
Amenorrhea, in anorexia nervosa, *1981:* March, 26–29, *1982:* Sept., 520, 523
in menopause, *1981:* March, 152
primary, *1981:* March, 9–12
chromosomal abnormalities and, *1981:* March, 107–108
secondary, *1981:* March, 12–13
chromosomal abnormalities and, *1981:* March, 108
Amniotic fluid, volume, ultrasonographic assessment of, *1983:* June, 214–215, 220–221
Amniotomy, indications for, *1983:* June, 260
Amputation, of foot, in diabetes, *1981:* Dec., 707
Analgesia, for herpes zoster, *1981:* Dec., 727
for labor pain, *1983:* June, 260–261, **269–283**
Anemia, megaloblastic, in pregnancy, *1982:* Sept., 484

Anemia (*Continued*)
sickle cell, leg ulcers and, *1983:* Sept., 415–416
Anesthesia, for labor pain, *1983:* June, 260–261, **269–283**
Anesthetic(s), topical ophthalmic, *1982:* Dec., 745
Aneurysm(s), arterial, in elderly, *1982:* March, 109–111
dissecting aortic, hypertension and, *1983:* March, 47–50
Angiitis, leg ulcers and, *1983:* Sept., 414–415
Angina pectoris, in acute myocardial infarction, surgical management, *1981:* Sept., 519–538
Angiocardiography, radionuclide, in evaluation of cardiac function, *1981:* Sept., 408
Angiodysplasia, of colon, in elderly, *1982:* March, 39
Angiography, in gastrointestinal bleeding, *1981:* June, 209
Anisocoria, *1982:* Dec., 680–681
Anorectal gonorrhea, *1983:* Sept., 431
Anorexia nervosa, *1981:* March, **19–31;** *1982:* Sept., **517–530**
Antacids, oral, during labor, *1983:* June, 259
Antiarrhythmic agent(s), *1981:* Sept., 458
Antibiotic(s), for atypical pneumonia, *1981:* Dec., 688
for diabetic foot infections, *1981:* Dec., 704–706
for gonorrhea, *1983:* Sept., 433–434
for impetigo, *1983:* Sept., 404–405
for infectious arthritis, *1981:* Dec., 551–552
for infectious diseases, *1981:* Dec., **605–623**
for infective endocarditis, *1981:* Dec., 748–749
for osteomyelitis, *1981:* Dec., 548, 554–555, 560–567
for streptococcal pharyngitis, *1981:* Dec., 577–579, 586–587
topical ophthalmic, *1982:* Dec., 745–747
Antigen(s), HLA, diabetes and, *1983:* Dec., 535–536, 540–541
Antihistamine(s), for pruritus, *1983:* Sept., 351
ophthalmic, *1982:* Dec., 744–745
Antihypertensive therapy, *1983:* March, 10–18
in children, *1983:* March, 129–132
in hypertension of pregnancy, *1983:* March, 120–121
in hypertensive emergencies, *1983:* March, 53–58
in elderly, *1983:* March, 137–138
Antihypertensive therapy (*Continued*)
in pregnancy, *1983:* June, 244–245, 249–250
patient compliance with, *1983:* March, **21–27**
Antimicrobial agent(s), in elderly, *1982:* March, 17–19
Antiviral agent(s), topical ophthalmic, *1982:* Dec., 755
Anus, pruritus of, *1983:* Sept., 340–341
Aorta, coarctation of, hypertension and, *1983:* March, 6
Aortic aneurysm, dissecting, hypertension and, *1983:* March, 47–50
Apexcardiography, in evaluation of left ventricular function, *1981:* Sept., 395–396
Aphakia, correction of, *1982:* Dec., 810–812
in elderly, *1982:* March, 175–176
Aqueous humor, obstruction of flow, in glaucoma, *1982:* Dec., 730
Arnold-Chiari II malformation, in neonate, *1982:* June, 324–326
Arrest disorders, of labor, *1983:* June, 290–293
Arrhythmia(s), digitalis and, *1981:* Sept., 484–485
fetal, with paracervical block, *1983:* June, 274–275
in elderly, *1982:* March, 84–85, 87–88
management of, in acute myocardial infarction, *1981:* Sept., **445–459**
pacing in, *1981:* Sept., 509–517
Arterial disease, peripheral, evaluation of, *1982:* March, **113–119**
Arterial insufficiency, of legs, in elderly, *1982:* March, 107–109
Arterial pressure, monitoring, in myocardial infarction, *1981:* Sept., 438
Arteriography, coronary, in acute myocardial infarction, *1981:* Sept., **415–427**
in detection of renovascular hypertension, *1983:* March, 66
Arteritis, temporal, in elderly, *1982:* March, 192–193
visual loss in, *1982:* Dec., 695
Arteriosclerosis obliterans, leg ulcers and, *1983:* Sept., 411–412
Arthritis, infectious, in children, *1981:* Dec., 549–552
juvenile rheumatoid, uveitis and, *1982:* Dec., 717
rheumatoid, in elderly, *1982:* March, **181–195**
septic, in neonates, *1981:* Dec., 548–549
Arthroplasty, of hip, in elderly, *1982:* March, **197–203**
of knee, in elderly, *1982:* March, **203–207**
Ascorbic acid. See *Vitamin C.*

Aspirin, as antirheumatic, in elderly, *1982:* March, 191
Astringent(s), ophthalmic, *1982:* Dec., 744–745
Atherosclerosis, diabetes and, *1982:* Sept., 565
  diet and, *1982:* Sept., 456
  hypertension and, *1983:* March, **29–34**
  in menopause, *1981:* March, 160
Atherosclerotic coronary artery disease. See under *Myocardium, acute infarction.*
Athlete(s), cutaneous lesions in, *1983:* Sept., **479–494**
Athlete's foot, *1983:* Sept., 490
Athletic performance, diet and, *1982:* Sept., **545–555**
Atopic dermatitis. See *Dermatitis, atopic.*
Atrial fibrillation, in acute myocardial infarction, *1981:* Sept., 454–455
Atrial flutter, in acute myocardial infarction, *1981:* Sept., 453–454
Atrophy, of subcutaneous fat, at insulin injection sites, *1983:* Dec., 693–695
Atypical pneumonia syndrome, *1981:* Dec., **673–694**
Autoimmune disorders, diabetes and, *1983:* Dec., 537–538
Azlocillin, *1981:* Dec., 608

BACAMPICILLIN, *1981:* Dec., 605–606
Bacterial diarrhea, *1981:* June, 295–300
Bacterial endocarditis, *1981:* Dec., **733–751**
Bacterial infection(s), in athletes, *1983:* Sept., 487–488
  laboratory tests in, *1981:* Dec., 598–600
  leg ulcers and, *1983:* Sept., 418
  of skin, *1983:* Sept., **397–409**
Bacterial pneumonia(s), *1981:* Dec., 674–676
Bacterial vaginitis, *1981:* Dec., 636–641
Bacteriuria, in diabetes, *1981:* Dec., 708
Balloon pump, intraaortic, in assisted circulation, *1981:* Sept., 439–441
Barr body, *1981:* March, 99
Barthel index, in functional assessment of elderly, *1982:* March, 245–246
Bartholinitis, *1981:* March, 40
Basal cell carcinoma, *1983:* Sept., **443–458**
  cryosurgery for, *1983:* Sept., 475
Bell's palsy, *1982:* June, **429–437**
Benzoyl peroxide, for leg ulcers, *1983:* Sept., 423–424
Beta-adrenergic agonist(s), as labor suppressants, *1983:* June, 302–305
Beta-adrenergic blocking agent(s), in acute myocardial infarction, *1981:* Sept., **461–466**
  in hypertension, *1983:* March, 13–15
Bicarbonate therapy, in diabetic ketoacidosis, *1983:* Dec., 671
Biliary disease, pruritus and, *1983:* Sept., 345
Biochemical methods, in fetal assessment, *1983:* June, 173–181
Biophysical methods, in fetal assessment, *1983:* June, 181–188
Biopsy, of basal cell carcinoma, *1983:* Sept., 447
  percutaneous, of liver, *1981:* June, 223–224
  vulvar, *1981:* March, 123–124
Birth control, methods of, *1981:* March, **45–53**
Birth control pills, *1981:* March, 49
  hepatotoxic effects of, *1981:* June, 246–248
Bites, insect, in athletes, *1983:* Sept., 485–486
Black(s), skin disease in, *1983:* Sept., **389–395**
Black heel, in athletes, *1983:* Sept., 483–484
Bladder, dysfunction, in elderly, *1982:* March, 56
Bleeding. See also *Hemorrhage.*
  abnormal uterine, *1981:* March, 13–15
Blepharitis, *1982:* Dec., 706–707
Blindness, night, causes of, *1982:* Dec., 650
Blister(s), friction, in athletes, *1983:* Sept., 483
Block. See specific type, as *Pudendal block.*
Blood disorders. See *Hematologic diseases* or specific disorder, as *Anemia.*
Blood glucose, control, diabetic retinopathy and, *1982:* Dec., 771–772; *1983:* Dec., 681
  goals of, *1983:* Dec., 618–620
  in elderly, *1982:* March, **43–49**
  in pregnant diabetics, *1983:* Dec., 751–752
  in prevention of diabetic complications, *1983:* Dec., **553–563**
  in reversal of diabetic complications, *1983:* Dec., **557–559**
  insulin pump therapy and, *1983:* Dec., 725–727
  response to insulin, *1983:* Dec., 630–633
  self-monitoring of, in children, *1983:* Dec., **565–581**
Blood pool imaging, in evaluation of cardiac function, *1981:* Sept., 408–411
Blood pressure, elevated. See *Hypertension.*
Blood sampling, techniques of, *1983:* Dec., 568–569
Bockhart's impetigo, *1983:* Sept., 401–402
Body fat, assessment, *1982:* Sept., 582–584
  in athletes, *1982:* Sept., 553

Body weight, excess, syndrome of, *1982:* Sept., **581–593**
ideal, determination, *1982:* Sept., 582–583
onset of menses and, *1981:* March, 26–29
Bonding, post partum, *1983:* June, 309, 319, 324–325
Bone, inflammation. See *Osteomyelitis.*
resorption, postmenopausal, *1981:* March, 156–159
Boot, Unna's, for leg ulcers, *1983:* Sept., 425–426
Borderline hypertension, *1983:* March, **99–113**
Bradycardia, sinus, in acute myocardial infarction, *1981:* Sept., 446–448
Brain, infarction. See *Cerebral infarction; Stroke; Transient ischemic attack.*
Branchial cleft cyst, *1982:* June, 284–285
Breast, postpartum complications, *1983:* June, 325–330
Breast feeding, *1982:* Sept., 506; *1983:* June, 325–330
preparation for, *1982:* Sept., 492
Breech presentation, ultrasonographic assessment of, *1983:* June, 218–219
"Brittle" diabetes, insulin pump therapy and, *1983:* Dec., 731
"Brown fat," in obesity, *1982:* Sept., 587
Bulemia, *1982:* Sept., **517–530**
Bulla(e), drug-induced, *1983:* Sept., 374, 384
Bundle branch block, in acute myocardial infarction, *1981:* Sept., 448–451
pacing in, *1981:* Sept., 509–517
Burn(s), of eye, chemical, *1982:* Dec., 784–785

CAFFEINE, effects on fetus, *1982:* Sept., 487; *1983:* June, 155
restriction, in borderline hypertension, *1983:* March, 109–110
Calcium, dietary requirements, in children, *1982:* Sept., 503–504
excess, hypertension and, *1983:* March, 6
in vegetarian diet, *1982:* Sept., 599
Calcium channel blocking agents, in hypertension, *1983:* March, 18
Calculus, in salivary duct, *1982:* June, 295–296
Callous(es), in athletes, *1983:* Sept., 483
Calorie(s), distribution of, in diabetic diet, *1983:* Dec., 601
Cancer. See also *Carcinoma; Malignant disease(s);* and specific type or organ.
diet and, *1982:* Sept., 456–457, **573–580**
gynecologic, *1981:* March, **111–129**
of colon, in elderly, *1982:* March, 40–41
Cancer (*Continued*)
of urinary tract, in elderly, *1982:* March, 71–72
Candida albicans infection, *1981:* March, 34–35
Candidiasis, mucocutaneous, in diabetes, *1981:* Dec., 711
oral lesions in, *1983:* Sept., 505–506
Canker sores, *1983:* Sept., 502–503
Captopril, in hypertension, *1983:* March, 17
Carbohydrate(s), cariogenicity and, *1982:* Sept., 457
dietary, in diabetes, *1982:* Sept., 566–567; *1983:* Dec., 598–599
dietary requirements, in athletes, *1982:* Sept., 548–550
in children, *1982:* Sept., 500–501
Carbohydrate loading, in athletes, *1982:* Sept., 549–550
Carbonic anhydrase inhibitor(s), for glaucoma, *1982:* Dec., 739–740, 751
Carcinogen(s), in diet, *1982:* Sept., **573–580**
Carcinoma. See also *Malignant disease(s)* and specific type or organ.
basal cell, *1983:* Sept., **443–458**
epidermoid, of neck, *1982:* June, 286–289
of colon, *1981:* June, 335–347
of salivary gland, *1982:* June, 298–300
of thyroid, *1982:* June, 307–308
squamous cell, oral lesions in, *1983:* Sept., 507
surveillance for, in ulcerative colitis, *1981:* June, 330–332
Cardiac. See also *Heart.*
Cardiac catheterization, complications of, *1981:* Sept., 436–437
in acute myocardial infarction, *1981:* Sept., 430–437
indications for, *1981:* Sept., 437
Cardiac disease, congenital, in diabetic pregnancy, *1983:* Dec., 757
hypertension and, *1983:* March, **35–40**
Cardiac hypertrophy, in hypertension, *1983:* March, 36–40
Cardiac imaging, technetium-99m pyrophosphate in, *1981:* Sept., 400–404
thallium-201 in, *1981:* Sept., 404–407
Cardiac response(s), to exercise, in diabetics, *1983:* Dec., 656–657
Cardiovascular disease, hypertension and, *1983:* March, **29–34**
Cardiovascular system, changes during pregnancy, *1983:* June, 270–271
postpartum changes, *1983:* June, 310–311
Carotid artery, imaging, *1982:* March, 122
Carotid artery disease, evaluation of, *1982:* March, **120–124**
Carrier state, recessive disease and, *1981:* March, 93–94

Cataract(s), *1982:* Dec., **801–815**
extraction, *1982:* Dec., 808–815
in elderly, *1982:* March, 174–177
glaucoma and, *1982:* Dec., 806
Catecholamine, plasma levels, in borderline hypertension, *1983:* March, 105
in pheochromocytoma, *1983:* March, 78–80
Catheter, Swan-Ganz, insertion and maintenance of, *1981:* Sept., 432–433
Catheterization, cardiac. See *Cardiac catheterization.*
in elderly, *1982:* March, 26–28
Cefaclor, *1981:* Dec., 615
Cefadroxil, *1981:* Dec., 614
Cefamandole, *1981:* Dec., 616
Cefoperazone, *1981:* Dec., 620–621
Ceforanide, *1981:* Dec., 618
Cefotaxime, *1981:* Dec., 619–620
Cefoxitin, *1981:* Dec., 617–618
Cefsulodin, *1981:* Dec., 618–619
Cellulitis, orbital, *1982:* Dec., 638–639
Cephalosporin(s), for infectious diseases, *1981:* Dec., **614–622**
Cereal, in infant's diet, *1982:* Sept., 510–511
Cerebral infarction. See *Stroke; Transient ischemic attack.*
Cerebrovascular accident. See also *Stroke; Transient ischemic attack.*
hypertension and, *1983:* March, 46–47
Cerebrovascular disease, ocular symptoms in, *1982:* Dec., 693–694
Cervical adenitis, *1982:* June, 283–284
Cervical cap, in contraception, *1981:* March, 47
Cervix, carcinoma of, *1981:* March, 112–114
screening for, *1981:* March, **131–140**
disorders, in elderly, *1982:* March, 57
Chagas' disease, *1981:* June, 187
Chalazion, *1982:* Dec., 707–708
Chemical burns, ocular, *1982:* Dec., 784–785
Chenodeoxycholic acid, in dissolution of gallstones, *1981:* June, 269–272
Chiasm, lesions of, *1982:* Dec., 694–695
Child(ren). See also *Infant(s)* or *Adolescent(s).*
airway obstruction in, *1982:* June, **317–336**
amblyopia in, *1982:* Dec., 666–668
black, skin diseases in, *1983:* Sept., 391–392
complications of insulin therapy in, *1983:* Dec., **691–706**
diabetes in. See *Diabetes mellitus, in children.*
dyslexia in, *1982:* Dec., 675–677
epidermoid carcinoma in, *1982:* June, 286
gallstones in, *1981:* June, 281
hypertension in, *1983:* March, **125–134**
infectious arthritis in, *1981:* Dec., 549–552
Children (*Continued*)
nutrition in, *1982:* Sept., **497–516**
ocular examination in, *1982:* Dec., 654, **661–666**
pharyngitis in, *1981:* Dec., **571–581**
strabismus in, *1982:* Dec., 668–675
use of insulin pumps in, *1983:* Dec., **723–750**
vegetarian diet and, *1982:* Sept., 600
Childbirth. See *Labor.*
Chlorpromazine, hepatotoxic effects of, *1981:* June, 244–245
Chlorpropamide alcohol flushing (CPAF), in diabetes, *1983:*Dec., 548–549
Cholangiography, percutaneous transhepatic, in assessment of jaundice, *1981:* June, 222–223
Cholangiopancreatography, endoscopic retrograde, in assessment of jaundice, *1981:* June, 223
Cholangitis, sclerosing, in ulcerative colitis, *1981:* June, 329–330
Cholecystitis, emphysematous, in diabetes, *1981:* Dec., 713
Cholecystography, in assessment of jaundice, *1981:* June, 221–222
Cholelithiasis, pathophysiology of, *1981:* June, 266–269
Cholera, diarrhea and, *1981:* June, 296–297
Cholestasis, differential diagnosis of, *1981:* June, **215–230**
oral contraceptives and, *1981:* June, 246–247
pruritus and, *1983:* Sept., 345
Cholesteatoma, in middle ear, *1982:* June, 408
Cholesterol, dietary, in children, *1982:* Sept., 499–500
Chorioretinitis, *1982:* Dec., 722–724
Choroid, anatomy of, *1982:* Dec., 623–633
Chromosome(s), variation in, *1981:* March, 96–100
Chronic obstructive pulmonary disease (COPD), oxygen therapy in, *1982:* March, **125–132**
Cigarette smoking, hypertension and, *1983:* March, 7
Ciliary body, anatomy of, *1982:* Dec., 634
inflammation of, *1982:* Dec., 700
Cimetidine, in acid-peptic disease, *1981:* June, **195–203**
toxicity of, *1981:* June, 202
Circulation, assisted, in cardiogenic shock, *1981:* Sept., **438–442**
Circulatory system, changes during pregnancy, *1983:* June, 270–271
Climacteric. See *Menopause.*
Clinical trials, in hypertensive populations, *1983:* March, 8–10, 30–33, 100–102, 136–137

Clomiphene citrate, in anorexia nervosa, *1981:* March, 30–31
Clonidine suppression test, in diagnosis of pheochromocytoma, *1983:* March, 80–85
Clonidine withdrawal syndrome, hypertension and, *1983:* March, 51–52
Cluster headache, in Horner's syndrome, *1982:* Dec., 681
Coarctation of aorta, hypertension and, *1983:* March, 6
Cobalamin, dietary requirements, in children, *1982:* Sept., 503
Cogan's syndrome, vertigo in, *1982:* June, 424
Cognitive assessment, of elderly, *1982:* March, **159–163**
Cold injury, in athletes, *1983:* Sept., 481–483
Colectomy, indications for, in ulcerative colitis, *1981:* June, 328–329
Colitis, chronic ulcerative, management of, *1981:* June, **321–333**
ischemic, in elderly, *1982:* March, 37–38
pseudomembranous, diarrhea and, *1981:* June, 297
ulcerative, abdominal pain and, *1981:* June, 281
Colon, cancer of, in elderly, *1982:* March, 40–41
disease, in elderly, *1982:* March, 36–41
polyp-cancer sequence in, *1981:* June, **335–347**
Colonoscopy, in Crohn's disease, *1981:* June, 317–319
in ulcerative colitis, *1981:* June, 327, 330–332
Coma, hypoglycemic, diabetic control and, *1983:* Dec., 559–561
Compliance. See *Patient compliance.*
Computed tomography, in assessment of jaundice, *1981:* June, 222
Conception, problems with, *1981:* March, **77–88**
Condylomata acuminata, in homosexuals, *1983:* Sept., 438
Condom, in contraception, *1981:* March, 46
Congenital anomalies, in diabetic pregnancy, *1983:* June, 231; *1983:* Dec., 756–757
ultrasonographic diagnosis of, *1983:* June, 221–222
Congenital lesions, in neck, *1982:* June, 284–285
Conjunctiva, inflammation of. See *Conjunctivitis.*
injuries to, *1982:* Dec., 781–783
Conjunctivitis, *1982:* Dec., 699–700, 708–712
Connective tissue disease, esophageal symptoms and, *1981:* June, 190–192
Constipation, in elderly, *1982:* March, 36
Contact dermatitis. See *Dermatitis, contact.*
Contact lenses, prescription of, after cataract extraction, *1982:* Dec., 811
in elderly, *1982:* March, 175–176
Contraception, methods of, *1981:* March, **45–53**
post partum, *1983:* June, 330–331
Contraction stress test, in diabetic pregnancy, *1983:* June, 234–236
in fetal assessment, *1983:* June, 181–185
Cornea, abrasions of, *1982:* Dec., 701–702
anatomy of, *1982:* Dec., 629–632
foreign bodies on, *1982:* Dec., 702
inflammation of, *1982:* Dec., 700. See also *Keratitis.*
injuries to, *1982:* Dec., 783–787
transplant of, *1982:* Dec., 704–705
ulcer of, *1982:* Dec., 703
Corneal light reflex, in strabismus, *1982:* Dec., 669–670
Coronary arteriography, in acute myocardial infarction, *1981:* Sept., **415–427**
Coronary artery bypass, in acute myocardial infarction, *1981:* Sept., **519–538**
in elderly, *1982:* March, 79
Coronary artery disease, atherosclerotic. See under *Myocardium, acute infarction.*
in elderly, *1982:* March, 76–79
Cortex, adrenal, hypertension and, *1983:* March, **87–98**
Corticosteroid(s), contraindication in glaucoma, *1982:* Dec., 740–741
Cost, of health care, for elderly, *1982:* March, **249–255**
Cotton wool spots, in diabetic retinopathy, *1982:* Dec., 760
Countercurrent immunoelectrophoresis, *1981:* Dec., 594–595
Counseling, genetic, in diabetes, *1983:* Dec., 540–543
Cover-uncover test, for strabismus, *1982:* Dec., 671–672
Cream(s), in topical therapy, *1983:* Sept., 517–518
Creatine kinase, isoenzymes, in detection of myocardial injury, *1981:* Sept., 374
total, in detection of myocardial injury, *1981:* Sept., 373–374
Crohn's disease, *1981:* June, **309–319**
abdominal pain and, *1981:* June, 281
compared with ulcerative colitis, *1981:* June, 323–325
Cryosurgery, of benign lesions, *1983:* Sept., 470–474
of malignant lesions, *1983:* Sept., 450–451, 474–476
use of liquid nitrogen in, *1983:* Sept., **459–478**
Cryosurgical apparatus, *1983:* Sept., 461–468

Capping, glaucomatous, *1982*: Dec., 736
Curettage, endometrial, *1981*: March, 117–119
Cushing's syndrome, *1983*: March, 95, 97–98
Cutaneous disorders. See *Dermatologic diseases* or under specific disorder, as *Pruritus*.
Cutaneous reactions, drug-induced, *1983*: Sept., **369–387**. See also under specific reaction, as *Urticaria*.
Cyclacillin, *1981*: Dec., 606–607
Cycloplegic agent(s), *1982*: Dec., 657
Cyclosporine, in pancreas transplantation, *1983*: Dec., 711–713, 718–719
Cyst(s), branchial cleft, *1982*: June, 284–285
  thyroglossal duct, *1982*: June, 284
Cystitis, *1981*: March, 42

DATING, of pregnancy, *1983*: June, 149–150
"Dawn phenomenon," *1983*: Dec., 623–624, 734
Debrisan, for leg ulcers, *1983*: Sept., 425
Decongestant(s), ophthalmic, *1982*: Dec., 743–744
Dehydration, in hospitalized elderly, *1982*: Sept., 533
Delivery. See *Labor*.
Dementia, in elderly, *1982*: March, 145, 151–157
Dental caries, diet and, *1982*: Sept., 457, 501
  fluoridation and, *1982*: Sept., 504
  vegetarian diet and, *1982*: Sept., 597
Dental problems, in elderly, *1982*: March, **209–222**
Denture, care, in elderly, *1982*: March, 219–222
Denture stomatitis, *1983*: Sept., 508
Depression, in elderly, *1982*: March, 142–150
  in herpes zoster, *1981*: Dec., 723–724, 728
Dermatitis, *1983*: Sept., **355–367**
  atopic, *1983*: Sept., 362–366
    exacerbation in athletes, *1983*: Sept., 491–492
    in black infants, *1983*: Sept., 391–392
  chronic atopic, topical therapy of, *1983*: Sept., 515–516
  contact, *1983*: Sept., 355–361
    topical therapy of, *1983*: Sept., 514–516
  exfoliative, drug-induced, *1983*: Sept., 372, 378
  intertriginous, topical therapy of, *1983*: Sept., 520
  seborrheic, *1983*: Sept., 361–362
Dermatofibroma, cryosurgery for, *1983*: Sept., 472
Dermatologic disease(s), in blacks, *1983*: Sept., **389–395**
  in office practice, symposium on, *1983*: Sept., **339–524**
  sexually transmitted, *1983*: Sept., **429–442**
  with insulin pump therapy, *1983*: Dec., 743–744
Dermatologic infection(s), bacterial, *1983*: Sept., **397–409**
  in athletes, *1983*: Sept., 486–491
Dermatologic lesions, oral, management of, *1983*: Sept., **495–511**
  sports activity and, *1983*: Sept., **479–494**
Dermatologic surgery, cryogenic, *1983*: Sept., **459–478**
Dermatologic therapy, topical, *1983*: Sept., **513–524**
Dermatosis papulosa nigra, *1983*: Sept., 392
Dermoid(s), *1982*: June, 284
Dextran polymer beads, for leg ulcers, *1983*: Sept., 425
Diabetes mellitus, associated syndromes, *1983*: Dec., 542
  cataract extraction and, *1982*: Dec., 813
  classification of, *1983*: Dec., 547
  complications of, *1983*: Dec., 549–550
  control. See *Blood glucose, control*.
  diet and, *1982*: Sept., 457
  esophageal symptoms and, *1981*: June, 192
  foot infection in, *1981*: Dec., 697–708
  genetics of, *1983*: Dec., 534–536, 540–543
  gestational, *1982*: Sept., 489–490
    diagnosis of, *1983*: June, 227–228
  in children, causes of, *1983*: Dec., 533–538
    compliance with treatment, *1983*: Dec., 590–591, 646–647
    complications of, effect of insulin pump therapy on, *1983*: Dec., 727–728
    diagnosis of, *1983*: Dec., 543–548, 666–667
    diet and, *1983*: Dec., **595–616**
    exercise and, *1983*: Dec., 645–646, **653–662**
    eye disease in, *1983*: Dec., **677–690**
    psychosocial aspects, *1983*: Dec., **583–594**
    routine management of, *1983*: Dec., **617–652**
    self-monitoring of blood glucose, *1983*: Dec., **565–581**
    special problems of, *1983*: Dec., **637–648**
    symposium on, *1983*: Dec., **531–760**
    temporary remission of, *1983*: Dec., 639–640
  infectious complications in, *1981*: Dec., **695–714**
  insulin requiring vs. non-insulin requiring, *1983*: Dec., 532

Diabetes mellitus (*Continued*)
maturity onset of youth, *1983*: Dec., 543–544
mild, in children, *1983*: Dec., 543–548
neonatal, *1983*: Dec., 548
nutritional management, *1982*: Sept., **557–572**
ocular symptoms in, *1982*: Dec., 690
oral lesions in, *1983*: Sept., 499–500
pancreas transplantation and, *1983*: Dec., **707–716, 717–722**
patient education in, *1983*: Dec., 565–567, 575–577
pregnancy and, *1982*: Sept., 489–491; *1983*: June, **225–240,** 178–179; *1983*: Dec., 541–543, **751–760**
pruritus and, *1983*: Sept., 348
seizures in elderly and, *1982*: March, 138
vegetarian diet and, *1982*: Sept., 597
Diabetic ketoacidosis, in children, *1983*: Dec., **663–676**
Diabetic retinopathy. See *Retinopathy, diabetic.*
Diaper rash, *1983*: Sept., 356
Diaphragm, in contraception, *1981*: March, 46–47
Diarrhea, evaluation of, *1981*: June, **285–307**
traveler's, *1981*: June, 297–298
Diazoxide, in hypertensive emergencies, *1983*: March, 53–55
Diet. See also *Nutrition.*
alternate, *1982*: Sept., **595–603**
average, in United States, *1982*: Sept., 446–450
cancer and, *1982*: Sept., **573–580**
carcinoma of colon and, *1981*: June, 343
chronic disease and, *1982*: Sept., 454–457
for weight loss, *1982*: Sept., 590
guidelines, for Americans, *1982*: Sept., 462–472
health and, *1980*: Dec., 557–558; *1982*: Sept., **445–473**
of anorectics, *1982*: Sept., 519–520
of athletes, *1982*: Sept., **545–555**
of lactating women, *1982*: Sept., **492–495**
of pregnant women, *1982*: Sept., **475–492**
therapy, in diabetics, *1982*: Sept., **557–572**
in diabetic children, *1983*: Dec., **595–616**
in protein calorie malnutrition, *1982*: Sept., 535–542
Dietetic food labeling, interpretation of, *1983*: Dec., 613–614
Diethylstilbestrol, exposure to in utero, *1981*: March, 41
Digestive disease(s), symposium on, *1981*: June, **181–347**
Digit. See *Finger* and *Fingertip.*
Digitalis, in acute myocardial infarction, *1981*: Sept., **483–490**
Dilation. See *Mydriasis.*
Diphtheria, in elderly, *1982*. March, 23–25
Diplopia, assessment of, *1982*: Dec., 652
Discoloration, of skin, drug-induced, *1983*: Sept , 373, 381
Disease, infectious, symposium on, *1981*: Dec., **545–751**
Disequilibrium, evaluation of, *1982*: June, **413–427**
Diuretic agent(s), in hypertension, *1983*: March, 13
Diverticulitis, in elderly, *1982*: March, 39–40
Diverticulum, Meckel's, abdominal pain and, *1981*: June, 282
Zenker's esophageal symptoms and, *1981*: June, 193
Dizziness. See *Vertigo.*
Doppler probe, in peripheral artery disease, *1982*: March, 114–116
Doppler test, supraorbital, in carotid artery disease, *1982*: March, 120–121
Dressings, occlusive, in topical therapy, *1983*: Sept., 425–426, 521–522
Drug(s). See also under specific medications.
adverse cutaneous reactions, *1983*: Sept., **369–387.** See also under specific reaction, as *Urticaria.*
oral lesions and, *1983*: Sept., 501–502
pruritus and, *1983*: Sept., 349
antihypertensive, in elderly, *1982*: March, 95–99
in pregnancy, *1983*: June, 244–245
for labor pain, *1983*: June, 260–261, **269–283**
hepatotoxic effects of, *1981*: June, **231–250**
in breast milk, *1982*: Sept., 494–495
interactions, hypertensive crisis and, *1983*: March, 52
lactation and, *1983*: June, 326–328
ophthalmic, *1982*: Dec., **743–755**
therapy, antidepressive, in demented elderly, *1982*: March, 154–156
in elderly, *1982*: March, 146–148
antihypertensive, *1983*: March, 10–18. See also specific agent, as *Captopril.*
patient compliance with, *1983*: March, **21–27**
effects on fetus, *1983*: June, 156
for glaucoma, *1982*: Dec., 738–740, 749–751
in elderly hypertensives, *1983*: March, 137–138
in hypertensive children, *1983*: March, 130–132
in hypertensive emergencies, *1983*: March, 53–58
in preeclampsia, *1983*: June, 249–250

Drug(s) (*Continued*)
tocolytic, in preterm labor, *1983*: June, 297–305. See also specific drug, as *Ritodrine*.
Drug abuse, seizures in elderly and, *1982*: March, 135–136
sexual dysfunction and, *1981*: March, 72–73
Drug eruption, fixed, *1983*: Sept., 372, 378
Drusen, in macular degeneration, *1982*: Dec., 794
Duodenal ulcer, cimetidine in, *1981*: June, 198–199
Dysentery, amebic, *1981*: June, 299
bacillary, *1981*: June, 296
Dysfunctional uterine bleeding, *1981*: March, 13–15
Dyslexia, in children, *1982*: Dec., 675–677
Dysmenorrhea, *1981*: March, 15–17
Dyspareunia, *1981*: March, 63–64
in menopause, *1981*: March, 154
Dyspepsia, non-ulcer, cimetidine in, *1981*: June, 201–202
Dysphagia, in motility disorders, *1981*: June, 182
lump in neck and, *1982*: June, 270–271
Dysphonia, spastic, *1982*: June, 351–352
Dysplasia, in ulcerative colitis, *1981*: June, 330–332
polyps of colon and, *1981*: June, 338–341

e-ANTIGEN, in viral hepatitis, *1981*: June, 259–260
Ear, disorders, in elderly, *1982*: March, 167–170
infections, *1982*: June, **401–412**
allergic, *1982*: June, **381–382**
in diabetes, *1981*: Dec., 711–712
pain with swallowing, lump in neck and, *1982*: June, 271–272
Eating, patterns, in anorectics, *1982*: Sept., 519
habits, in children, *1982*: Sept., 512–515
in infants, *1982*: Sept., 509–510
Echocardiography, in atherosclerotic coronary heart disease, *1981*: Sept., 379–392
in hypertensive heart disease, *1983*: March, 37–38
Eclampsia, *1983*: March, 117–118
hypertensive crisis and, *1983*: March, 53
Ecthyma, *1983*: Sept., **397–409**
Ectopic pregnancy, *1983*: June, **166–171**
ultrasonographic evaluation of, *1983*: June, 216–217
Eczema, *1983*: Sept., **355–367**
drug-induced, *1983*: Sept., 371–375
topical therapy of, *1983*: Sept., 518
Edema, caused by insulin therapy, *1983*: Dec., 699–700
in pregnancy, *1982*: Sept., 487
macular, loss of vision and, *1982*: Dec., 762–763
pulmonary, hypertension and, *1983*: March, 50
with tocolytic therapy, *1983*: June, 304
Education. See *Patient education*.
Ejaculation, premature, *1981*: March, 65–66
Electrolytes. See *Fluids and electrolytes*.
Elderly, care of, symposium on, *1982*: March, **1–255**. See also under specific diseases or symptoms.
hospitalized, protein calorie malnutrition in, *1982*: Sept., **531–543**
hypertension in, *1983*: March, **135–139**
macular degeneration in, *1982*: Dec., 793–799
Electrocardiography, in acute myocardial infarction, *1981*: Sept., **355–370**
Electroconvulsive therapy, in elderly, *1982*: March, 148–150
Electrosurgery, for basal cell carcinoma, *1983*: Sept., 447–449
Emergency(ies), hypertensive, *1983*: March, **41–61**
Emporiatric diarrhea, *1981*: June, 297–298
Encephalopathy, hypertensive, *1983*: March, 44–46
Endocarditis, infective, *1981*: Dec., **733–751**
predisposing conditions, *1981*: Dec., 734–736
Endocardium, infection of, *1981*: Dec., **733–751**
Endocrine disease(s), pruritis and, *1983*: Sept., 348
Endometrial curettage, in cancer screening, *1981*: March, 117–119, 148
Endometrium, carcinoma of, *1981*: March, 115–120
Endophthalmitis, fungal, *1982*: Dec., 725
Endoscopy. See also *Sigmoidoscopy* and *Proctosigmoidoscopy*.
in gastrointestinal bleeding, *1981*: June, 208–209
Enema, for labor, *1983*: June, 258
Energy, dietary requirements, in athletes, *1982*: Sept., 548–550
in children, *1982*: Sept., 498
in pregnancy, *1982*: Sept., 480
requirements, of physical activity, *1982*: Sept., 546
ENT. See *Otolaryngology*.
Enterococcal endocarditis, *1981*: Dec., 743–744
Enzyme(s), cardiac, in acute myocardial infarction, *1981*: Sept., **371–377**
Enzyme-linked immunosorbent assay (ELISA), *1981*: Dec. 602

Epidural block, *1983*: June, 278–280
Epilepsy, idiopathic, in elderly, *1982*: March, 134
vertiginous, *1982*: June, 420–421
Epinephrine, for glaucoma, *1982*: Dec., 739, 750
Episiotomy, *1983*: June, 315
Epistaxis, in elderly, *1982*: March, 165–166
Erosion, stress, cimetidine in, *1981*: June, 200–201
Erythema multiforme, drug-induced, *1983*: Sept., 371–376
oral lesions in, *1983*: Sept., 510
Erythema nodosum, *1983*: Sept., 371, 377
Erythrasma, in diabetes, *1981*: Dec., 710
Esophageal disorders, in elderly, *1982*: March, 32–33
Esophageal spasm, diffuse, *1981*: June, 187
Esophageal sphincter, lower, hypertensive, *1981*: June, 190
upper, hypertensive, *1981*: June, 192–193
hypotensive, *1981*: June, 193
Esophageal varices, bleeding, *1981*: June, 211
Esophagitis, acid-induced, *1981*: June, 190
reflux, cimetidine in, *1981*: June, 200
Esophagus, hyperdynamic, *1981*: June, 190
motility disorders of, *1981*: June, **181–194**
Estriol, assays, in diabetic pregnancy, *1983*: June, 233–234
in fetal assessment, *1983*: June, 173–181
urinary vs. plasma, *1983*: June, 176
Estrogen, replacement therapy, in menopause, *1981*: March, 160–162
cancer and, in elderly, *1982*: March, 58
Eustachian tube, dysfunction, in otitis media, *1982*: June, 401–402
Examination. See also *Physical examination* and *Multiphasic screening examination*.
ocular, *1982*: Dec., **652–659**
for cataracts, *1982*: Dec., 804–806
in differential diagnosis of "red eye," *1982*: Dec., 698–699
Exanthem, drug-induced, *1983*: Sept., 371–372, 377–378
Exchange list, in diabetic meal plans, *1983*: Dec., 607–610
Excisional surgery, for basal cell carcinoma, *1983*: Sept., 449–450
Exercise, after acute myocardial infarction, *1981*: Sept., 494–500
aging and, *1982*: March, **231–238**
diabetes and, *1983*: Dec., 645–646, **653–662**
diet and, *1982*: Sept., **545–555**
in diabetics, *1982*: Sept., 563; *1983*: Dec., 604
patterns, in anorectics, *1982*: Sept., 520
Exercise (*Continued*)
physiological responses to, *1983*: Dec., 653–657
Exercise prescription, in diabetics, *1983*: Dec., 658
Exercise testing, in diabetics, *1983*: Dec., 657–660
Exercise training, in diabetics, *1983*: Dec., 658–660
Exophthalmos. See *Proptosis*.
Expenditure(s), for health care, *1982*: March, 252–254
Extraction, surgical, of cataracts, *1982*: Dec., 808–815
Eye(s). See also under anatomic parts, as *Cornea*, and under specific disease.
anatomy of, *1982*: Dec., **627–637**
diabetic complications. See *Retinopathy*.
disease, history-taking, *1982*: Dec., **647–652**
in diabetic children, *1983*: Dec., **677–690**
in elderly, *1982*: March, **173–179**
examination of, *1982*: Dec., **652–659**
external disease of, *1982*: Dec., **697–713**
movement, disorders of, *1982*: Dec., 688–690
Eye shield, *1982*: Dec., 790
Eyelid(s), anatomy of, *1982*: Dec., **637–645**
diseases of, *1982*: Dec., 705–708
injuries to, *1982*: Dec., 779–781

FACIAL nerve, traumatic injury of, paralysis and, *1982*: June, 434–435
Facial paralysis, idiopathic, *1982*: June, **429–437**
Facial tic, Bell's palsy and, *1982*: June, 435–436
Fallopian tubes, patency of, *1981*: March, 84–86
Family, diabetes care and, *1983*: Dec., **583–594**
Family planning, post partum, *1983*: June, 330–331
Fat. See also *Body fat*.
dietary, cancer and, *1982*: Sept., 456, 575–577
dietary requirements, in athletes, *1982*: Sept., 548–550
in children, *1982*: Sept., 499–500
in diabetic children, *1983*: Dec., 600–601
Fetal alcohol syndrome, *1983*: June, 154–155
Fetal heart rate, electronic monitoring of, *1983*: June, 188–199

Fetal surveillance, *1983*: June, **173–203**
in diabetic pregnancy, *1983*: June, 233–237
Fetus, assessment of, *1983*: June, **173–203**
complications, in diabetic pregnancy, *1983*: June, 230–231; *1983*: Dec., **751–760**
gender, ultrasonographic determination of, *1983*: June, 215
intrauterine death, in diabetic pregnancy, *1983*: June, 230
ultrasonographic diagnosis of, *1983*: June, 217
movement of, in diabetic pregnancy, *1983*: June, 236–237
stress testing, *1983*: June, 181–188
in diabetic pregnancy, *1983*: June, 234–236
ultrasonographic assessment of growth, *1983*: June, 211–215
Fever, Q(uery), *1981*: Dec., 682–683
Fiber, dietary, *1983*: Dec., 611
cancer and, *1982*: Sept., 457, 575–577
disease and, *1982*: Sept., 458
in diabetes, *1982*: Sept., 566–567; *1983*: Dec., 599–600
Fibrillation, atrial, in acute myocardial infarction, *1981*: Sept., 454–455
ventricular, in acute myocardial infarction, *1981*: Sept., 456
Fistula, perilymphatic, vertigo in, *1982*: June, 425
Fixation reflex, assessment of, in children, *1982*: Dec., 662–663
Fixed drug eruption, *1983*: Sept., 372, 378
Floaters, vitreous, *1982*: Dec., 649–650
Fluid(s), excess, in pregnancy, *1982*: Sept., 487
Fluids and electrolytes, in diabetic ketoacidosis, *1983*: Dec., 665–671
Fluid therapy, for labor, *1983*: June, 258–259
Fluoride, supplementation, in children, *1982*: Sept., 504
in infants, *1982*: Sept., 494
5-Fluorouracil, topical, for basal cell carcinoma, *1983*: Sept., 454
Flutter, atrial, in acute myocardial infarction, *1981*: Sept., 453–454
Folacin, dietary requirements, in children, *1982*: Sept., 503
Folic acid, deficiency, in pregnancy, *1982*: Sept., 483–485
Food, acceptance, by children, *1982*: Sept., 513
dietetic labeling, *1983*: Dec., 613–614
excess consumption of, *1982*: Sept., 454–457
exchange(s), in diabetic meal plan, *1983*: Dec., 607–610
Food (*Continued*)
nutritive value of, *1982*: Sept., 453
plan, for diabetics, *1983*: Dec., 605–615
poisoning, diarrhea and, *1981*: June, 295
portions, for children, *1982*: Sept., 513–514
semisolid, in infant's diet, *1982*: Sept., 510–512
Food groups, basic, *1982*: Sept., 458–459, 547
in vegetarian diet, *1982*: Sept., 601
Foot, infection, in diabetes, *1981*: Dec., 697–708
Foreign body(ies), in eye, *1982*: Dec., 702, 778–784
in pediatric larynx, *1982*: June, 332–333
Formula(s), powdered, in dehydration, *1982*: Sept., 501
nutrients in, *1982*: Sept., 506–508
Fracture, blowout, of orbital floor, *1982*: Dec., 778
Freezing. See *Cryosurgery* or *Liquid nitrogen*.
Frostbite, in athletes, *1983*: Sept., 482–483
Functional assessment, in elderly, *1982*:March, 244–246
Fundus, examination of, *1982*: Dec., 656
Fungal endocarditis, *1981*: Dec., 746
Fungal infection(s), deep, leg ulcers and, *1983*: Sept., 416–417
in athletes, *1983*: Sept., 490–491

GALLBLADDER, inflammation, in diabetes, *1981*: Dec., 713
Gallstone(s), cholesterol, dissolution of, *1981*: June, **265–275**
in children, *1981*: June, 281
Gastrectomy, in Zollinger-Ellison syndrome, *1981*: June, 198
Gastric ulcer, cimetidine in, *1981*: June, 199–200
Gastritis, cimetidine in, *1981*: June, 201–202
hemorrhagic, *1981*: June, 211–212
Gastrointestinal diseases, oral lesions in, *1983*: Sept., 499
in elderly, *1982*: March, **31–42**
symposium on, *1981*: June, **181–347**
vegetarian diet and, *1982*: Sept., 597
Gastrointestinal tract, changes during pregnancy, *1983*: June, 271
hemorrhage, in elderly, *1982*: March, 34–35
lower, hemorrhage in, *1981*: June, 212–213
upper, hemorrhage in, *1981*: June, 207–212

Gay bowel syndrome, *1983*: Sept., 438–439
General anesthesia, for delivery, *1983*: June, 280–283
Genetic aspects, of colonic cancer, *1981*: June, 342–343
of diabetes, *1983*: Dec., 534–536
of gynecologic problems, *1981*: March, **89–110**
Genetic assessment, of pregnant patient, *1983*: June, 150
Genetic counseling, in diabetes, *1983*: Dec., 540–543
Genetic lesion(s), obesity and, *1982*: Sept., 586–587
Genital herpes, *1983*: Sept., 434–437
Genital tract, postpartum changes in, *1983*: June, 310
postpartum complications of, *1983*: June, 315–316
Genitalia, pruritus of, *1983*: Sept., 341–342
Geographic tongue, *1983*: Sept., 507
Geriatric medicine. See also *Elderly, care of*
symposium on, *1982*: March, **1–255.**
Gestation, multiple, ultrasonographic detection of, *1983*: June, 219–220
Gestational age, assessment of, *1983*: June, 149–150
ultrasonographic assessment of, *1983*: June, 206–210
Gestational diabetes, *1983*: June, 227–228
Giardiasis, diarrhea and, *1981*: June, 299–300
in homosexuals, *1983*: Sept., 439
Gingivitis, in elderly, *1982*: March, 216–219
Gland(s), inflammation, *1982*: June, 283–284
parotid, mass in, *1982*: June, 296–298
salivary, disorders of, *1982*: June, 285–286, **291–301**
in diagnosis of lump in neck, *1982*: June, 275–277
thyroid, disorders of, *1982*: June, 264
Glasses, prescription of, after cataract extraction, *1982*: Dec., 811
Glaucoma, *1982*: Dec., **729–741**
cataract and, *1982*: Dec., 806
closed angle, *1982*: Dec., 700–701, 733
developmental, *1982*: Dec., 734–735
in elderly, *1982*: March, 178
open angle, *1982*: Dec., 731–732
secondary, *1982*: Dec., 734
Globus hystericus, *1981*: June, 193
Globus phenomenon, lump in neck and, *1982*: June, 274
Glossitis areata exfoliative, *1983*: Sept., 507
Glossodynia, *1983*: Sept., 507
Glucagon, for hypoglycemia, *1983*: Dec., 638–639
Glucocorticoid hypertension, *1983*: March, 5–6, 97–98
Glucose. See also *Blood glucose.*
Glucose intolerance, syndromes associated with, *1983*: Dec., 542
Glucose tolerance test, interpretation of, *1983*: Dec., 546–547
Glycogen loading, in athletes, *1982*: Sept., 549–550
Glycosylated hemoglobin, in diabetic control, *1983*: Dec., 634–637
insulin pump therapy and, *1983*: Dec., 725–727
Gold therapy, in rheumatoid arthritis, *1982*: March, 190–191
Gonadotropin, human chorionic, measurement of, in ectopic pregnancy, *1983*: June, 169–170
in pregnancy, *1983*: June, 164
Gonococcal infection, disseminated, *1983*: Sept., 432
in homosexuals, *1983*: Sept., 438
Gonococcal proctitis, *1981*: March, 37
Gonorrhea, *1981*: March, 36–37; *1983*: Sept., 430–434
Graft, skin. See *Skin graft.*
Growth, retardation, in Crohn's disease, *1981*: June, 316
Growth retardation, intrauterine, estriol assays in, *1983*: June, 179–180
ultrasonographic assessment of, *1983*: June, 211–215
of diabetic children, *1983*: Dec., 640–641
of infants of diabetic mothers, *1983*: Dec., 758
Guanethidine, in hypertension, *1983*: March, 16–17
Gynecologic cancer, *1981*: March, **111–129**
Gyecologic disorders, in elderly, *1982*: March, **51–61**
Gynecologic procedures, variation in rate, *1981*: March, **165–176**
Gynecology, ambulatory, symposium on, *1981*: March, **3–176**

HAIR, discoloration, in swimmers, *1983*: Sept., 484–485
Halothane, hepatotoxic effects of, *1981*: June, 243–244
Hamartoma, of colon, *1981*: June, 336–337
Head and neck surgery, specialty defined, *1982*: June, **261–268**
Head injury, traumatic, paralysis and, *1982*: June, 434–435
Headache, assessment of, *1982*: Dec., 652
cluster, in Horner's syndrome, *1982*: Dec., 681
Health, effects of obesity on, *1982*: Sept., 587–589

Hearing disorders, in elderly, *1982:* March, 167–170
Heart. See also *Cardiac.*
Heart attack. See under *Myocardium, acute infarction.*
Heart block, in elderly, *1982:* March, 86–87
Heart disease. See also specific disorders, such as *Myocardium, acute infarction.*
atherosclerotic, diet and, *1982:* Sept., 456
congenital, in diabetic pregnancy, *1983:* Dec., 757
hypertension and, *1983:* March, **29–40**
in elderly, *1982:* March, **75–89**
ischemic, hypertension and, *1983:* March, 50
physical activity and, *1982:* March, 233
vegetarian diet and, *1982:* Sept., 597
Heart failure, hypertension and, *1983:* March, 50
Heart rate, fetal, electronic monitoring of, *1983:* June, 188–199
Heel, black, in athletes, *1983:* Sept., 483–484
Hematologic diseases, leg ulcers and, *1983:* Sept., 415–416
oral lesions in, *1983:* Sept., 496, 499
pruritus and, *1983:* Sept., 346–347
Hemoccult test, in cancer detection, *1981:* June, 345–346
Hemodynamic monitoring, in acute myocardial infarction, *1981:* Sept., **429–438**
Hemodynamic status, classification, in acute myocardial infarction, *1981:* Sept., 474–478
Hemoglobin A_1, in diabetic control, *1983:* Dec., 634–637, 725–727
Hemophilus vaginalis infection, *1981:* March, 36
Hemorrhage, gastrointestinal, assessment of, *1981:* June, **205–213**
cimetidine in *1981:* June, 201
in elderly, *1982:* March, 34–35
in ectopic pregnancy, *1983:* June, 166–167
nasal, in elderly, *1982:* March, 165–166
post partum, *1983:* June, 316–323
subconjunctival, *1982:* Dec., 699, 781
subungual, in athletes, *1983:* Sept., 484–485
Hemorrhagic infarct, drug-induced, *1983:* Sept., 372, 379
Hepatic. See also *Liver.*
Hepatic disease, obstructive, pruritus and, *1983:* Sept., 345
Hepatitis, nomenclature, *1981:* Dec., 644–647
viral, in homosexuals, *1983:* Sept., 439
laboratory diagnosis, *1981:* June, **251–263;** *1981:* Dec., **643–672**
Hepatitis immunization, *1981:* June, 260–261
Hepatotoxicity, of drugs, mechanisms of, *1981:* June, 232–238
Hernia, hiatal, in elderly, *1982:* March, 32–33
Herpes gladiatorum, in wrestlers, *1983:* Sept., 488
Herpes labialis, *1983:* Sept., 503–505
Herpes progenitalis, *1983:* Sept., 434–437
Herpes simplex infection(s), anogenital, *1983:* Sept., 438
in athletes, *1983:* Sept., 488
of cornea, *1982:* Dec., 703–704
oral lesions in, *1983:* Sept., 503–505
Herpes zoster infection(s), *1981:* Dec., **715–731**
of cornea, *1982:* Dec., 704
Hexachlorophene, for impetigo, *1983:* Sept., 404
Hip, replacement, in elderly, *1982:* March, **197–203**
Histoplasmosis, disseminated, oral lesions in, *1983:* Sept., 501
ocular, *1982:* Dec., 725–726
History, ocular, *1982:* Dec., **647–652**
Hives. See *Urticaria.*
HLA antigen(s), diabetes and, *1983:* Dec., 535–536, 540–541
HLA matching, in pancreas transplantation, *1983:* Dec., 713
Hoarseness, evaluation of, *1982:* June, **337–354**
lump in neck and, *1982:* June, 273
Homosexuality, sexual dysfunction and, *1981:* March, 73
sexually transmitted diseases and, *1983:* Sept., 437–440
"Honeymoon" period, of diabetes, *1983:* Dec., 639–640
Hordeolum, *1982:* Dec., 707
Hormonal diarrhea, *1981:* June, 302–304
Horner's syndrome, *1982:* Dec., 680–681
Host defense, impairment, in diabetes, *1981:* Dec., 696–697
"Hot flash," in menopause, *1981:* March, 147–152
Human chorionic gonadotropin, measurement of, in ectopic pregnancy, *1983:* June, 169–170
in pregnancy, *1983:* June, 164
Humor. See *Aqueous humor* and *Vitreous.*
Hyaline membrane disease, neonatal, in diabetic pregnancy, *1983:* Dec., 755–756
Hydralazine, in acute myocardial infarction, *1981:* Sept., 472–473
in hypertensive emergencies, *1983:* March, 57
in hypertensive pregnancy, *1983:* June, 245
Hydramnios, ultrasonographic diagnosis of, *1983:* June, 220–221

Hydrocortisone, topical, *1983:* Sept., 523
Hygiene, oral, in elderly, *1982:* March, 219–222
Hyperalimentation, enteral, in protein calorie malnutrition, *1982:* Sept., 536–540
Hyperbilirubinemia, neonatal, in diabetic pregnancy, *1983:* June, 230; *1983:* Dec., 758
Hypercalcemia, hypertension and, *1983:* March, 6
Hyperglycemia. See also *Diabetes mellitus.*
early morning, *1983:* Dec., 623–624, 734
iatrogenic, in elderly, *1982:* March, 44–45
rebound, *1983:* Dec., 641
with insulin pump therapy, *1983:* Dec., 743
Hyperglycemic control, diabetic retinopathy and, *1983:* Dec., 681
Hypergonadotropic hypogonadism, *1981:* March, 10
Hypermelanosis, in blacks, *1983:* Sept., 390–391
Hyperplasia, Dilantin, *1983:* Sept., 501–502
sebaceous, cryosurgery for, *1983:* Sept., 473
Hypersensitivity. See also *Allergy.*
delayed, in elderly, *1982:* March, 7–8
Hypersensitivity reaction(s), delayed, *1983:* Sept., 357–361
drug-induced, *1983:* Sept., 385–386
Hypertension, adrenal cortex and, *1983:* March, **87–98**
atherosclerosis and, *1983:* March, **29–34**
borderline, *1983:* March, **99–113**
cardiac disease and, *1983:* March, **29–40**
causes of, *1983:* March, 4–6
clinical trials, *1983:* March, 8–10, 30–33, 100–102, 136–137
definition of, *1983:* March, 30–31
in children, *1983:* March, 125–127
diabetic retinopathy and, *1983:* Dec., 682
diagnosis of, *1983:* March, **3–8**
in children and adolescents, *1983:* March, **125–134**
in diabetes, *1982:* Sept., 566
in pregnancy, *1982:* Sept., 488–489; *1983:* March, **115–124;** *1983.* june, **241–252**
estriol assays in, *1983:* June, 180–181
in the elderly, *1982:* March, **91–101;** *1983:* March, **135–139**
leg ulcers and, *1983:* Sept., 414
malignant, management of, *1983:* March, 42–44
renovascular, *1983:* March, 5, **63–74**
salt intake and, *1982:* Sept., 454–457
in children, *1982:* Sept., 504–505
symposium on, *1983:* March, **3–139**
treatment of, *1983:* March, **8–18**
with myocardial infarction, *1981:* Sept., 465
Hypertensive crises, *1983:* March, **41–61**
Hypertensive encephalopathy, *1983:* March, 44–46
Hypertrichosis, drug-induced, *1983:* Sept., 372, 379
Hypertrophy, left ventricular, in hypertension, *1983:* March, 36–40
Hyphema(s), *1982:* Dec., 787–788
Hypocalcemia, neonatal, in diabetic pregnancy, *1983:* June, 230; *1983:* Dec., 757–758
Hypoglycemia, diabetic control and, *1983:* Dec., 559–561, 741–743
dietary treatment of, *1982:* Sept., 562–563; *1983:* Dec., 602–603
in diabetic children, *1983:* Dec., 637–639
in elderly, *1982:* March, 46
neonatal, in diabetic pregnancy, *1983:* June, 230; *1983:* Dec., 754–756
Hypogonadotropic hypogonadism, *1981:* March, 10
Hypomagnesemia, neonatal, in diabetic pregnancy, *1983:* Dec., 757–758
Hypothermia, in athletes, *1983:* Sept., 481–483
Hypothyroidism, congenital, in pregnancy, *1982:* Sept., 491–492
Hypoxemia, arterial, in elderly, *1982:* March, 126–128
Hysterectomy, variation in rate, *1981:* March, 169–171
Hysterosalpingography, in fertility workup, *1981:* March, 84

ICTUS. See *Seizure.*
Ileitis, regional. See *Crohn's disease.*
Immunity, in old age, *1982:* March, **5–11**
Immunization, for hepatitis, *1981:* June, 260–261
in elderly, *1982:* March, 15, 20, 23–24
Immunoelectrophoresis, countercurrent, *1981:* Dec., 594–595
Immunogenicity, of insulin, *1983:* Dec., 696–698
Immunosuppressive therapy, in pancreas transplantation, *1983:* Dec., 711–713, 718–721
Immunotherapy, in diabetes, *1983:* Dec., 538–540
Impetigo, *1983:* Sept., **397–409**
Impotence, *1981:* March, 66–68
in elderly, *1982:* March, 71
Incontinence, in elderly, *1982:* March, 71
Infant(s). See also *Neonate(s).*
atopic dermatitis in, *1983:* Sept., 363
black, skin diseases in, *1983:* Sept., 391
nutrition in, *1983:* Sept., **497–516**
of diabetic mothers, complications in, *1983:* Dec., **751–760**
vegetarian diet and, *1982:* Sept., 600

Infarct, hemorrhagic, drug-induced, *1983:* Sept., 372, 379
Infarction, anterior, pacing in, *1981:* Sept., 511–512
cerebral. See *Cerebral infarction; Stroke; Transient ischemic attack.*
inferior, pacing in, *1981:* Sept., 510–511
myocardial. See under *Myocardium, acute infarction.*
Infection(s), adenotonsillar, *1982:* June, 356–357
after cataract extraction, *1982:* Dec. 813
bacterial, of salivary gland, *1982:* June, 294–295
in diabetes mellitus, *1981:* Dec., **695–714**
in elderly, *1982:* March, **13–30**
lump in neck and, *1982:* June, 283–284
musculoskeletal, in children, *1981:* Dec., **545–556**
of conjunctiva, *1982:* Dec., 708–712
of cornea, *1982:* Dec., 703–704
of lid margins, *1982:* Dec., 706–708
of middle ear, *1982:* June, **401–412**
of urinary tract, in elderly, *1982:* March, 69–71
otologic, allergy and, *1982:* June, 381–382
puerperal, *1983:* June, 323–324
resistance, provided by milk, *1982:* Sept., 506
seizures in elderly and, *1982:* March, 139
vaginal, *1981:* March, **33–43**
viral, uveitis and, *1982:* Dec., 726–727
with insulin pump therapy, *1983:* Dec., 743–744
Infectious diseases, bacterial, of skin, *1983:* Sept., **397–409**
cephalosporins in, *1981:* Dec., **614–622**
cutaneous, in athletes, *1983:* Sept., 486–491
deep fungal, leg ulcers and, *1983:* Sept., 416–417
enteric, in homosexuals, *1983:* Sept., 438–439
laboratory tests in, *1981:* Dec., **593–604**
oral lesions in, *1983:* Sept., 501, 503–506
penicillins in, *1981:* Dec., **605–613**
pruritus and, *1983:* Sept., 348–349
sexually transmitted, *1983:* Sept., **429–442**
susceptibility to, atopic dermatitis and, *1983:* Sept., 364–365
symposium on, *1981:* Dec., **545–751**
Infertility, analysis of, *1981:* March, **77–88**
genetic causes of, *1981:* March, 107–108
Infestation(s), pruritus and, *1983:* Sept., 348–349
Inflammatory bowel disease, extraintestinal manifestations of, *1981:* June, 313–316. See also under specific disease, as *Crohn's disease.*
in elderly, *1982:* March, 38–39
Influenza, in elderly, *1982:* March, 19–21
pneumonia after, *1981:* Dec., 681–682
Inheritance, mechanisms of, *1981:* March, 89–101
Instrumentation, in cryosurgery, *1983:* Sept., 461–466
Insulin, allergic reactions to, *1983:* Dec., 696–698
continuous subcutaneous infusion, complications of, *1983:* Dec., 741–745
deaths from, *1983:* Dec., 748
in children, *1983:* Dec., **723–750**
vs. multiple injections, *1983:* Dec., 625–626, 728–729
human, *1983:* Dec., 703–704
physiologic activity of, *1983:* Dec., 620–621
preparations, *1983:* Dec., 700–705
purity of, influence on dose, *1983:* Dec., 704–705
resistance, in diabetic children, *1983:* Dec., 689–699
therapy, complications of, *1983:* Dec., **691–706**
during surgery, *1983:* Dec., 644
during travel, *1983:* Dec., 644–645
in diabetic children, *1983:* Dec., 620–634
in diabetic ketoacidosis, *1983:* Dec., 669–670, 673
in pregnant diabetic, *1983:* June, 232–233
with intercurrent illness, *1983:* Dec., 641–643
Insulin infusion devices. See also *Insulin, continuous subcutaneous infusion.*
comparative features, *1983:* Dec., 735–741, 747
psychosocial adjustment to, *1983:* Dec., 744–745
Insurance, life, for diabetics, *1983:* Dec., 648
medical, for elderly, *1982:* March, 250–252
for insulin pump therapy, *1983:* Dec., 746–747
Intelligence tests, in elderly, *1982:* March, 160–161
Intestinal motility, deranged, *1981:* June, 287
Intraocular injuries, nonpenetrating, *1982:* Dec., 787–788
penetrating, *1982:* Dec., 789–791
Intraocular pressure, elevated, after cataract extraction, *1982:* Dec., 813
in glaucoma, *1982:* Dec., 730
with corticosteroids, *1982:* Dec., 740–741
measurement of, *1982:* Dec., 656, 735–737

Intrauterine device, ectopic pregnancy and, *1983:* June, 167
in contraception, *1981:* March, 47–49
pregnancy and, *1983:* June, 165–166
Intrauterine growth retardation. See *Growth retardation, intrauterine.*
Iridocyclitis, *1982:* Dec., 700
Iris, anatomy of, *1982:* Dec., 634
inflammation of, *1982:* Dec., 700
Iron, deficiency, in pregnancy, *1982:* Sept., 481–483
dietary requirements, in children, *1982:* Sept., 504
in vegetarian diet, *1982:* Sept., 599
supplemental, in female athletes, *1982:* Sept., 552
in lactation, *1982:* Sept., 493–494
in pregnancy, *1983:* June, 153–154
Irritable bowel syndrome, abdominal pain and, *1981:* June, 281–282
compared with ulcerative colitis, *1981:* June, 323–325
Irritable colon syndrome, diarrhea and, *1981:* June, 300–301
Islets of Langerhans, transplantation, in diabetics, *1983:* Dec., 711–712
Isoniazid, hepatotoxic effects of, *1981:* June, 241–242
Itching, of skin. See *Pruritus.*
IUD. See *Intrauterine device.*

JAUNDICE. See also *Hepatitis.*
differential diagnosis of, *1981:* June, **215–230**
Joint, inflammation. See *Arthritis.*
replacement, in elderly, *1982:* March, **197–208**

KAPOSI'S sarcoma, disseminated, *1983:* Sept., 439–440
Keloid(s), cryosurgery for, *1983:* Sept., 474
in blacks, *1983:* Sept., 392–393
Keratitis, *1982:* Dec., 700
herpes simplex, *1982:* Dec., 703–704
herpes zoster, *1982:* Dec., 704
Keratophakia, *1982:* Dec., 812
Keratosis, actinic, cryosurgery for, *1983:* Sept., 472
seborrheic, cryosurgery for, *1983:* Sept., 473
Keratotic basal cell carcinoma, *1983:* Sept., 445–446
Ketoacidosis, diabetic. See *Diabetic ketoacidosis.*
recurrent, emotional arousal and, *1983:* Dec., 588–590
with insulin pump therapy, *1983:* Dec., 743
Kidney. See *Renal.*
Knee, replacement, in elderly, *1982:* March, **203–207**
Kwashiorkor, *1982:* Sept., 499

LABOR, delivery and, anesthesia for, *1983:* June, **269–283**
in diabetic pregnancy, *1983:* June, 237–238
dysfunctional, *1983:* June, **285–293**
electronic fetal monitoring in, *1983:* June, 188–199
induction and augmentation of, *1983:* June, **263–267**
normal, *1983:* June, **253–262**
premature, *1983:* June, **295–307**
third stage, *1983:* June, 312–319
"true" vs. "false," *1983:* June, 257
Labor curve, *1983:* June, 261–262, 289
Labor pain, *1983:* June, 255
anesthesia for, *1983:* June, 260–261, **269–283**
Laboratory test(ing), in anorexia nervosa, *1982:* Sept., 522–523
in diabetic ketoacidosis, *1983:* Dec., 668, 672
in hepatitis, *1981:* Dec., **643–672**
in herpes zoster, *1981:* Dec., 726–727
in infectious diseases, *1981:* Dec., **593–604**
in infective endocarditis, *1981:* Dec., 738–740
in streptococcal pharyngitis, *1981:* Dec., 575–577
Labyrinthitis, vertigo in, *1982:* June, 423–424
Laceration, of conjunctiva, *1982:* Dec., 782–783
of eyelid, *1982:* Dec., 779–780
Lacrimal apparatus, anatomy of, *1982:* Dec., **637–645**
injuries to, *1982:* Dec., 779–781
Lactation, nutrition during, *1982:* Sept., **492–495**
pharmacologic suppression of, *1983:* June 326–328
vegetarian diet and, *1982:* Sept., 600
Lactic dehydrogenase, isoenzymes, in detection of myocardial injury, *1981:* Sept., 373
Lacto-vegetarian diet(s). See *Vegetarian diet(s).*
Landolt rings, in testing of visual acuity, *1982:* Dec., 664–665
Laparoscopy, in diagnosis of abdominal pain, *1981:* June, 280–281
in fertility workup, *1981:* March, 84–85
Laryngoscopy, indirect mirror, in evaluation of hoarseness, *1982:* June, 343

Laryngotracheobronchitis, acute, in children, *1982:* June, 327–329
Larynx, disorders, *1982:* June, **337–354**
neonatal, airway obstruction and, *1982:* June, 322–323
pediatric, foreign bodies in, *1982:* June, 332–333
traumatic injury of, *1982:* June, 333–334
Laser treatment. See *Photocoagulation.*
Latent phase, prolonged, *1983:* June, 289–290
Latex particle aggutination, *1981:* Dec., 596–597
Lavage, ice water, in gastrointestinal bleeding, *1981:* June, 208
Laxative(s), diarrhea and, *1981:* June, 302
Leg(s), arterial insufficiency, in elderly, *1982:* March, 107–109
ulcers of, *1983:* Sept., **411–427**
Legionnaires' disease, *1981:* Dec., 678–680
Lens(es), anatomy of, *1982:* Dec., 635–636
contact, after cataract extraction, *1982:* Dec., 811
crystalline, opacity of, *1982:* Dec., **801–815**
intraocular, after cataract extraction, *1982:* Dec., 811–812
in elderly, *1982:* March, 175–177
Lentigo, cryosurgery for, *1983:* Sept., 472–473
malignant, cryosurgery for, *1983:* Sept., 476
Leukoplakia, *1983:* Sept., 506
of lip, cryosurgery for, *1983:* Sept., 472
Lichen planus, oral, *1983:* Sept., 510–511
Lichen simplex chronicus, *1983:* Sept., 350–351
Lichenification, topical therapy of, *1983:* Sept., 519
Lichenoid reaction(s), drug-induced, *1983:* Sept., 372, 379–380
Lid(s). See *Eyelid(s).*
Limulus test, *1981:* Dec., 602
Lingua nigra, *1983:* Sept., 507
Lip(s), herpes simplex infection of, *1983:* Sept., 503–505
Lipid(s), dietary, cancer and, *1982:* Sept., 575–577
dietary requirements, in children, *1982:* Sept., 499–500
in diabetic children, *1983:* Dec., 600–601
Lipoatrophy, at insulin injection sites, *1983:* Dec., 693–695
Liquid meals, use by athletes, *1982:* Sept., 552
Liquid nitrogen, storage of, *1983:* Sept., 461–463
use as cryogen, *1983:* Sept., **459–478**
Liquid(s), in topical therapy, *1983:* Sept., 516–517
Liver, changes during pregnancy, *1983:* June, 271
disease, drug-induced, *1981:* June, **231–250**
obstructive, pruritus and, *1983:* Sept., 345
infection. See *Hepatitis.*
Liver function tests, postpartum changes in, *1983:* June, 311–312
Lochia, post partum, *1983:* June, 311–312
Lung. See also *Pulmonary.*
abnormal fetal deveopment, in diabetic pregnancy, *1983:* Dec., 755–756
Lupus erythematosus, drug-induced, *1983:* Sept., 372, 379–380
oral lesions in, *1983:* Sept., 500–501
Lymph node(s), in diagnosis of lump in neck, *1982:* June, 274–275
Lymphadenitis, cervical, *1982.* June, 283–284
Lymphoepithelium, lesion of, *1982:* June, 295

MACROSOMIA, neonatal, in diabetic pregnancy, *1983:* June, 230; *1983:* Dec., 753–754
Macula(e), degeneration of, senile, *1982:* Dec., **793–799**
Macular edema, loss of vision and, *1982:* Dec., 762–763
Magnesium, dietary requirements, in children, *1982:* Sept., 504
Magnesium sulfate, as labor suppressant, *1983:* June, 301–302
in preeclampsia, *1983:* June, 250
Malignant disease(s), cutaneous, cryosurgery for, *1983:* Sept., 474–476
leg ulcers and, *1983:* Sept., 420
oral lesions in, *1983:* Sept., 506–507
pruritus and, *1983:* Sept., 347–348
Mallory-Weiss mucosal tear, at gastric cardia, *1981:* June, 211
Malnutrition, in elderly, *1982:* March, **223–229**
protein calorie, in hospitalized elderly, *1982:* Sept., **531–543**
Mass, in neck, management of, *1982:* June, **269–289**
in thyroid gland, *1982:* June, **303–316**
Mastitis, post partum, *1983:* June, 326–328
Mastocytosis, systemic, cimetidine in, *1981:* June, 198
Mastoiditis, coalescent, in otitis media, *1982:* June, 404–405
Maturity onset diabetes, in youth, *1983:* Dec., 543–544

Meal, timing, *1982*: Sept., 513
Meal plan, for diabetics, construction of, *1983*: Dec., 605–615
Mecillinam, *1981*: Dec., 607
Meckel's diverticulum, abdominal pain and, *1981*: June, 282
Medicaid programs, *1982*: March, 250
Medicare programs, *1982*: March, 250
Medications. See *Drug(s)*.
Megavitamin therapy, *1982*: Sept., **605–619**
Melanoma, malignant, leg ulcers and, *1983*: Sept., 421
Melanosis, transient pustular, in black neonates, *1983*: Sept., 391
Meniere's disease, vertigo in, *1982*: June, 422–423
Menopausal symptoms, *1981*: March, 147–160
Menopause, *1981*: March, **141–164**
  endocrinology of, *1981*: March, 144–147
Menstruation, abnormalities of. See also under specific dysfunction, as *Amenorrhea*.
  in adolescents, *1981*: March, **3–18**
  resumption of post partum, *1983*: June, 330–331
Mental health, in elderly, *1982*: March, **141–157**
Metabolic control, in diabetes. See *Blood glucose, control*.
Metabolic disease(s), leg ulcers and, *1983*: Sept., 418–420
  seizures in elderly and, *1982*: March, 138
Metabolic response(s), to exercise, in diabetics, *1983*: Dec., 656–657
Metabolism, gestational, *1983*: June, 225–226, 271–272
  inborn errors of, *1981*: March, 102–103, 109–110
Metal, deficiencies, in elderly, *1982*: March, 225–226
Meter(s). See *Reflectance meter(s)*.
Methotrexate, hepatotoxic effects of, *1981*: June, 240
Methyldopa, hepatotoxic effects of, *1981*: June, 243
Mezlocillin, *1981*: Dec., 612–613
Microorganism(s), laboratory detection of, *1981*: Dec., **593–604**
Microvascular disease(s), prevention, diabetic control and, *1983*: Dec., 555–557
  reversal, diabetic control and, *1983*: Dec., 558–559
Migraine, vertigo in, *1982*: June, 421
  visual disturbance in, *1982*: Dec., 694
Milk, cow's, nutrients in, *1982*: Sept., 506–508
  homogenized, for infants, *1982*: Sept., 509
Milk (*Continued*)
  human, for infants, *1982*: Sept., 505–506
  nutrients in, *1982*: Sept., 506–508
Mineral(s), dietary requirements, *1982*: Sept., 451
  in athletes, *1982*: Sept., 551–552
  in children, *1982*: Sept., 503–504
  in vegetarian diet, *1982*: Sept., 599–600
Mineralocorticoid hypertension, *1983*: March, 5, 91–97
"Mini-mental state" examination, in elderly, *1982*: March, 152–153
Minoxidil, in hypertension, *1983*: March, 17
Miotics, for glaucoma, *1982*: Dec., 738–739, 749–750
Mitral regurgitation, with myocardial infarction, vasodilator drugs in, *1981*: Sept., 478–479
M-mode echocardiography, in evaluation of chest pain, *1981*: Sept., 380–381
  in evaluation of left ventricular function, *1981*: Sept., 385–387
  in evaluation of wall motion abnormalities, *1981*: Sept., 381–385
Mohs surgery, for basal cell carcinoma, *1983*: Sept., 452–454
Molluscum contagiosum, in athletes, *1983*: Sept., 488
Mongolian spots, in black neonates, *1983*: Sept., 391
Mono octanoin, in dissolution of gallstones, *1981*: June, 273–274
Morning-after contraception, *1981*: March, 49–50
Motion sickness, vertigo in, *1982*: June, 421–422
Movement, fetal, monitoring of, in diabetic pregnancy, *1983*: June, 236–237
  ocular, assessment of, *1982*: Dec., 654–655
  disorders of, *1982*: Dec., 688–690
Moxalactam, *1981*: Dec., 621–622
Mucormycosis, rhinocerebral, in diabetes, *1981*: Dec., 712
Multiple gestation, ultrasonographic detection of, *1983*: June, 219–220
Multiple sclerosis, pruritus and, *1983*: Sept., 349
Mumps, *1982*: June, 294
Musculoskeletal disorders, in elderly, *1982*: March, **181–195**
Myasthenia gravis, ocular symptoms in, *1982*: Dec., 689–690
Mycoplasma pneumonia, *1981*: Dec., 676–678
Mycosis fungoides, leg ulcers and, *1983*: Sept., 420
Mydriasis, drug-induced, *1982*: Dec., 751–754
  risk of glaucoma and, *1982*: Dec., 754

Mydriatic agent(s), *1982*: Dec., 657
for cataracts, *1982*: Dec., 807
Myocardium, acute infarction, arrhythmias in, *1981*: Sept., **445–459**
beta adrenergic blocking agents in, *1981*: Sept., **461–466**
cardiac enzymes in, *1981*: Sept., **371–377**
complications of, *1981*: Sept., 390–392
coronary arteriography in, *1981*: Sept., **415–427**
digitalis in, *1981*: Sept., **483–490**
electrocardiograph in, *1981*: Sept., **353–370**
hemodynamic monitoring in, *1981*: Sept., **429–443**
hypertension and, *1983*: March, 50–51
management of patient with, *1981*: Sept., **355–538**
noninvasive techniques in, *1981*: Sept., **379–398**
pacemaker in, *1981*: Sept., **509–517**
radionuclide studies in, *1981*: Sept., **399–413**
rehabilitation after, *1981*: Sept., **491–507**
surgical management, *1981*: Sept., **519–538**
vasodilators in, *1981*: Sept., **467–481**
Myoglobin, serum, in detection of myocardial injury, *1981*: Sept., 375
Myosin light chains, serum, in detection of myocardial injury, *1981*: Sept., 375
Myringoplasty, indications for, in otitis media, *1982*: June, 407
Myringotomy, indications for, in otitis media, *1982*: June, 403–404

NASOPHARYNX, airway obstruction of, *1982*: June, **385–400**
in neonate, *1982*: June, 321
digital examination of, *1982*: June, 281–282
Neck, mass, management of, *1982*: June, **269–289**
Necrobiosis lipoidica diabeticorum, leg ulcers and, *1983*: Sept., 418–419
Necrolysis, toxic epidermal, drug-induced, *1983*: Sept., 373, 382–383
Negro. See *Black(s)*.
Neisseria gonorrhoeae infection, *1981*: March, 36–37
Neonate, complications, in diabetic pregnancy, *1983*: June, 230–231; *1983*: Dec., **751–760**
diabetes in, *1983*: Dec., 548
osteomyelitis in, *1981*: Dec., 546–548
Neonate (*Continued*)
respiratory tract obstruction in, *1982*: June, 320–326
septic arthritis in, *1981*: Dec., 548–549
Neoplasm. See under *Tumor* or *Carcinoma*.
Nephropathy, prevention, diabetic control and, *1983*: Dec., 556–557
reversal, diabetic control and, *1983*: Dec., 558–559
Nerve(s), orbital, *1982*: Dec., 642–644
Neuralgia, postherpetic, *1981*: Dec., 723
Neuritis, optic, *1982*: Dec., 687–688
Neurodermatitis, *1983*: Sept., 350–351
Neurologic disease, ocular symptoms in, *1982*: Dec., **679–696**
Neuronitis, vestibular, vertigo in, *1982*: June, 423–424
Neuro-ophthalmology, *1982*: Dec., **679–696**
Neuropathy, diabetic, *1981*: Dec., 698–702; *1983*: Dec., 559
Niacin, dietary requirements, in children, *1982*: Sept., 503
Night blindness, causes of, *1982*: Dec., 650
Nitrite(s), cancer and, *1982*: Sept., 578–579
Nitrogen, liquid. See *Liquid nitrogen*.
Nitroglycerin, in acute myocardial infarction, *1981*: Sept., 471–472
intravenous, preparation of, *1981*: Sept., 480
Nitroprusside, in hypertensive emergencies, *1983*: March, 56–57
Node(s), lymphatic, in diagnosis of lump in neck, *1982*: June, 274–275
Nonstress test, in diabetic pregnancy, *1983*: June, 234–236
in fetal assessment, *1983*: June, 185–188
Nose, allergic reactions and, *1982*: June, **378–381**
disorders, in elderly, *1982*: March, 165–166
obstruction in, *1982*: June, **385–400**
Nutrient(s), carcinogenic, effects of, *1982*: Sept., **573–580**
dietary requirements, *1982*: Sept., **445–473**
in children, *1982*: Sept., 498–505
excess consumption of, *1982*: Sept., 454–457
recommended dietary allowances, *1982*: Sept., 448–454
suggested consumption, for Americans, *1982*: Sept., 460–461
Nutrition, cancer and, *1982*: Sept., **573–580**
chronic disease and, *1982*: Sept., 454–457
during lactation, *1982*: Sept., **492–495**
during pregnancy, *1982*: Sept., **475–492**
in athletes, *1982*: Sept., **545–555**
in childhood, *1982*: Sept., **497–516**
in diabetes mellitus, *1982*: Sept., **557–572**; *1983*: Dec., 597–601

Nutrition (*Continued*)
in elderly, *1982*: March, **223–229**
in infancy, *1982*: Sept., **497–516**
in pregnant diabetic, *1983*: June, 231–232
patient education, *1982*: Sept., 459
in diabetes, *1982*: Sept., 569–570; *1983*: Dec., 597–601
prenatal counseling in, *1983*: June, 152–154
suggested standards, for Americans, *1982*: Sept., 460–461
symposium on, *1982*: Sept., **445–619**
Nutritional deficiency, amenorrhea and, *1981*: March, **19–31**
Nystagmus, *1982*: Dec., 690–692

OBESITY, diet and, *1982*: Sept., 456
in children, insulin resistance and, *1983*: Dec., 699
in pregnancy, *1982*: Sept., 481
predisposition, formula feeding and, *1982*: Sept., 505
syndrome, *1982*: Sept., **581–593**
Obstetrics, applications of ultrasonography in, *1983*: June, **205–223**
symposium on, *1983*: June, **145–332**
Occlusive dressings, in topical therapy, *1983*: Sept., 425–426, 521–522
Ocular disorders. See under *Eye*.
Oculoplethysmography, in carotid artery disease, *1982*: March, 121–122
Odynophagia, in motility disorders, *1981*: June, 182
lump in neck and, *1982*: June, 271
Ointment(s), in topical therapy, *1983*: Sept., 518
Oligohydramnios, ultrasonographic diagnosis of, *1983*: June, 214–215
Oligomenorrhea, *1981*: March, 13
Ophthalmic surgery, for cataracts, *1982*: Dec., 800–815
for glaucoma, *1982*: Dec., 740
in diabetics, *1983*: Dec., 684–688
in elderly, *1982*: March, **173–179**
Ophthalmology, clinical, symposium on, *1982*: Dec., **627–815**
Ophthalmoplegia, internuclear, *1982*: Dec., 691–692
Ophthalmoscopy, direct, for cataracts, *1982*: Dec., 806
in glaucoma, *1982*: Dec., 736
indirect, for cataracts, *1982*: Dec., 803
Optic disk, atrophy of, *1982*: Dec., 685
edema of, *1982*: Dec., 685–688
Optic nerve, anatomy of, *1982*: Dec., 636
Optic neuritis, *1982*: Dec., 687–688
Oral cavity, examination of, *1983*: Sept., 496–498
Oral contraceptives, *1981*: March, 49
hepatotoxic effects of, *1981*: June, 246–248
Oral lesions, cutaneous, management of, *1983*: Sept., **495–511**
Orbit, anatomy of, *1982*: Dec., 641–645
injuries to, *1982*: Dec., 778–779
Orbital apex, anatomy of, *1982*: Dec., 644–645
Orgasm, *1981*: March, 60
dysfunctional, *1981*: March, 64–65
Oropharynx, airway obstruction and, in neonate, *1982*: June, 321
Osmotic diarrhea, *1981*: June, 286
Osteoarthrosis, of temporomandibular joint, in elderly, *1982*: March, 211–212
Osteomyelitis, *1981*: Dec., 552–555, **557–569**
diabetic neuropathy and, *1981*: Dec., 707
hematogenous, *1981*: Dec., 558–562
neonatal, *1981*: Dec., 546–548
Osteoporosis, in elderly, *1982*: March, 58–59
postmenopausal, *1981*: March, 156–159
vegetarian diet and, *1982*: Sept., 597–598
Otitis, external, in swimmers, *1983*: Sept., 487–488
in diabetes, *1981*: Dec., 711–712
Otitis media, *1982*: June, **401–412**
Otolaryngologic disorders, common, symposium on, *1982*: June, **261–437**
in elderly, *1982*: March, **165–170**
Otolaryngology–head and neck surgery, defined, *1982*: June, **261–268**
Otorrhea, persistent, *1982*: June, 407
Otosclerosis, in elderly, *1982*: March, 167–168
Ovary, carcinoma of, *1981*: March, 120–121
disorders, in elderly, *1982*: March, 57–58
Ovulation, cessation of, *1981*: March, 152–154
disorders of, *1981*: March, 78
documentation of, *1981*: March, 82–83
resumption of post partum, *1983*: June, 330–331
Oxygen therapy, in elderly outpatients, *1982*: March, **125–132**
Oxytocin, as labor inducer, *1983*: June, 263–266
in third stage of labor, *1983*: June, 313–315

PACEMAKER, in acute myocardial infarction, *1981*: Sept., **509–517**
Pacing, permanent, indications for, *1981*: Sept., 512–514
temporary, indications for, *1981*: Sept., 512–514

Pain, ocular, assessment of, *1982*: Dec., 650–651
on swallowing, lump in neck and, *1982*: June, 271–273
Palsy, Bell's, *1982*: June, **429–437**
third nerve, *1982*: Dec., 682–683
Pancreas, transplantation, association with kidney transplant, *1983*: Dec., 710–711, 721
in diabetics, *1983*: Dec., **707–716, 717–722**
Papanicolaou smear, for screening asymptomatic women, *1981*: March, 112–114, **131–140**
Papilla. See *Optic disk*.
Papillary muscle rupture, surgical management, *1981*: Sept., 534–536
Papilledema, *1982*: Dec., 686–688
visual loss with, *1982*: Dec., 693
Papule(s), pearly penile, in blacks, *1983*: Sept., 391
piezogenic, in athletes, *1983*: Sept., 484
Paracervical block, *1983*: June, 274–275
Paralysis, facial, *1982*: June, **429–437**
Parotid gland, anatomy, *1982*: June, 292
examination of, *1982*: June, 278
mass in, *1982*: June, 296–298
Parturition. See *Labor*.
Paste(s), in topical therapy, *1983*: Sept., 518–519
Patching, pressure, of eye, *1982*: Dec., 702, 786
Patch testing, in allergic contact dermatitis, *1983*: Sept., 359–361
Patient compliance, in diabetes, *1983*: Dec., 590–591, 646–647
with antihypertensive therapy, *1983*: March, **21–27**
Patient education, in acute myocardial infarction, *1981*: Sept., 500–505
for diabetic children, *1983*: Dec., **617–652**
in blood glucose testing, *1983*: Dec., 565–567, 575–577
in insulin pump therapy, *1983*: Dec., 733–735
prenatal, *1983*: June, 146–148, 155–156
Patient selection, for insulin pump therapy, *1983*: Dec., 729–731
Pelvic inflammatory disease, intrauterine device and, *1981*: March, 48
Pemphigoid, bullous, oral lesions in, *1983*: Sept., 509
cicatricial, oral lesions in, *1983*: Sept., 509–510
Pemphigus vulgaris, oral lesions in, *1983*: Sept., 508–509
Penicillin(s), for gonorrhea, *1983*: Sept., 433–434
for infectious diseases, *1981*: Dec., 605–613
Penicillin allergy, *1981*: Dec., 741–742
Peptic ulcer, gastrointestinal bleeding and, *1981*: June, 210–211
in children, *1981*: June, 281
Perineum, preparation, for labor, *1983*: June, 258
Periodontitis, in elderly, *1982*: March, 216–219
Personality tests, in elderly, *1982*: March, 161–162
Pharyngeal gonorrhea, *1983*: Sept., 431
Pharyngitis, in children, *1981*: Dec., **571–581**
streptococcal, treatment failure in, *1981*: Dec., **583–591**
Pharynx, inflammation, in children, *1981*: Dec., **571–581**
Phenylketonuria, *1981*: March, 109–110
in pregnancy, *1982*: Sept., 491–492
Phenylalanine, diet, in phenylketonuria, *1981*: March, 110
Pheochromocytoma, *1983*: March, 5, **75–86**
Pheochromocytoma crisis, *1983*: March, 51
Phlebitis, in elderly, *1982*: March, 104–106
Phonoangiography, in carotid artery disease, *1982*: March, 120
Phosphate, replacement, in diabetic ketoacidosis, *1983*: Dec., 671
Photocoagulation, in diabetic retinopathy, *1982*: Dec., 763–767; *1983*: Dec., 684–687
in senile macular degeneration, *1982*: Dec., 796–798
Photoinjury, in athletes, *1983*: Sept., 479–481
Photoplethysmography, in carotid artery disease, *1982*: March, 121
Photosensitivity reaction(s), drug-induced, *1983*: Sept., 372–373, 380–381, 385
Physical activity. See *Exercise*.
Physician, role in diabetes care, *1983*: Dec., 591–593
Piperacillin, *1981*: Dec., 613
Picker's nodules, *1983*: Sept., 351
Pigmentation, disorders, drug-induced, *1983*: Sept., 373, 381
of black skin, *1983*: Sept., 389–390
Pityriasis rosea, in blacks, *1983*: Sept., 393–394
Pivmecillinam, *1981*: Dec., 607
Placenta, anomalies of, *1983*: June, 315–318
ultrasonographic diagnosis of, *1983*: June, 217–218
delivery of, *1983*: June, 312–319
ultrasonographic localization of, *1983*: June, 210–211
Plantar wart(s), cryosurgery for, *1983*: Sept., 473
viral, in athletes, *1983*: Sept., 488–490

Plethysmography, in peripheral artery disease, *1982*: March, 116–117
ocular, in carotid artery disease, *1982*: March, 121–122
Pneumococcal pneumonia, *1981*: Dec., 674–679
Pneumonia, atypical, *1981*: Dec., **673–694**
algorithmic approach to diagnosis, *1981*: Dec., 684–687
bacterial, *1981*: Dec., 674–676
in elderly, *1982*: March, 14–19
mycoplasma, *1981*: Dec., 676–678
viral, *1981*: Dec., 681–682
Polycythemia, neonatal, in diabetic pregnancy, *1983*: Dec., 758
Polyhydramnios, ultrasonographic diagnosis of, *1983*: June, 220–221
Polymyalgia rheumatica, in elderly, *1982*: March, 192
Polyp(s), of colon, *1981*: June, **335–347**
Porphyria, effect of drugs on, *1983*: Sept., 373, 381–382
Postherpetic neuralgia, *1981*: Dec., 723, 728
Postmaturity syndrome, estriol assays in, *1983*: June, 178–180
Postnatal care, *1983*: June, **309–332**
Potassium, replacement, in diabetic ketoacidosis, *1983*: Dec., 670–671
Powder(s), in topical therapy, *1983*: Sept., 520
Prazosin, in acute myocardial infarction, *1981*: Sept., 473–474
Preeclampsia, *1982*: Sept., 488–489; *1983*: March, 117–118; *1983*: June, 246–251
Pregnancy, applications of ultrasonography in, *1983*: June, **205–223**
complicated by obesity, *1982*: Sept., 588
diabetes and, *1983*: June, **225–240**; *1983*: Dec., 541–543. See also *Diabetes mellitus*.
diabetic control during, *1983*: Dec., 751–752
diabetic retinopathy and, *1982*: Dec., 773; *1983*: Dec., 682
ectopic, *1983*: June, **166–171**
ultrasonographic evaluation of, *1983*: June, 216–217
herpes progenitalis and, *1983*: Sept., 436
hypertension and, *1983*: March, **115–124**; *1983*: June, **241–252**
management of, symposium on, *1983*: June, **145–332**
normal, prenatal care in, *1983*: June, **145–160**
nutrition during, *1982*: Sept., **475–492**
physiologic changes of, *1983*: June, 269–272
postdate, estriol assays in, *1983*: June, 178–180
pruritus in, *1983*: Sept., 344–345
Pregnancy (*Continued*)
sexual function in, *1981*: March, 68–70
spontaneous termination, *1983*: June, **161–166**
vegetarian diet and, *1982*: Sept., 600
viability of, ultrasonographic assessment of, *1983*: June, 215–216
working during, contraindications to, *1983*: June, 155
Premature complex, atrial, in acute myocardial infarction, *1981*: Sept., 452
ventricular, in acute myocardial infarction, *1981*: Sept., 455–456
Prenatal care, in normal pregnancy, *1983*: June, **145–160**
Prenatal diagnosis, of genetic disease, *1981*: March, 101–104
Presbycusis, in elderly, *1982*: March, 168–169
Presbyesophagus, *1981*: June, 192
Pressure, intraocular, measurement of, *1982*: Dec., 656
Pressure injury, in athletes, *1983*: Sept., 483
Pressure patching, of eye, *1982*: Dec., 702, 786
Preventive health care, of elderly, *1982*: March, **1–4**
Proctitis, gonococcal, *1981*: March, 37
Proctosigmoidoscopy, in Crohn's disease, *1981*: June, 317
in diarrhea, *1981*: June, 292–293
in ulcerative colitis, *1981*: June, 326
Prolonged latent phase, of labor, *1983*: June, 289–290
Proptosis, of eye, *1982*: Dec., 688–689
Prostaglandin(s), as labor inducer, *1983*: June, 264
Prostaglandin synthetase inhibitor(s), as labor suppressants, *1983*: June, 301
in dysmenorrhea, *1981*: March, 16
Prosthesis. See under type, such as *Denture*.
Protein(s), complementary, in vegetarian diet, *1982*: Sept., 600–601
dietary requirements in athletes, *1982*: Sept., 551
in children, *1982*: Sept., 499
Protein calorie malnutrition, in hospitalized elderly, *1982*: Sept., **531–543**
in elderly, *1982*: March, 226–227
Protraction disorder(s), of labor, *1983*: June, 290
Prurigo nodularis, *1983*: Sept., 351
Pruritus, *1983*: Sept., **339–353**
in pregnancy, *1983*: Sept., 344–345
of scalp, *1983*: Sept., 342
secondary to systemic disease, *1983*: Sept., 344–349
Pruritus ani, *1983*: Sept., 340–341
Pruritus vulvae, *1983*: Sept., 341–342

Pseudodementia, in elderly, *1982*: March, 145
Pseudofolliculitis barbae, in blacks, *1983*: Sept., 392–393
Pseudogout, in elderly, *1982*: March, 192
Pseudomembranous colitis, diarrhea and, *1981*: June, 297
Pseudomonas aeruginosa endocarditis, *1981*: Dec., 745
Pseudopapilledema, *1982*: Dec., 686–687
Pseudopolyp(s), of colon, *1981*: June, 337
Psittacosis, *1981*: Dec., 680–681
Psoriasis, in blacks, *1983*: Sept., 393
  of scalp, topical therapy of, *1983*: Sept., 517
Psychiatric syndromes, in elderly, *1982*: March, **141–157**
Psychological assessment, of elderly, *1982*: March, **159–163**
Psychological profile, of anorectic, *1982*; Sept., 523–524
  of anorectic's family, *1982*: Sept., 524–525
Psychosocial aspects, of diabetes in children, *1983*: Dec., **583–594**
  of insulin pump therapy, *1983*: Dec., 744–745
  of obesity, *1982*: Sept., 587
"Psychosomatic" ketoacidosis, in children, *1983*: Dec., 588–590
Psychotherapy, in elderly, *1982*: March, 150
Pudendal block, *1983*: June, 276–277
Puerperium, management of, *1983*: June, **309–332**
Pulmonary. See also *Lung*.
Pulmonary disease, chronic obstructive, oxygen therapy in, *1982*: March, **125–132**
Pulmonary edema, hypertension and, *1983*: March, 50
  with tocolytic therapy, *1983*: June, 304
Pulmonary response(s), to exercise, in diabetics, *1983*: Dec., 656–657
Pump. See *Insulin infusion devices*.
Pupil, abnormalities of, *1982*: Dec., 679–685
  Adie's, *1982*: Dec., 683
  dilatation of, *1982*: Dec., 682–683
    drug-induced, *1982*: Dec., 751–754
    risk of glaucoma and, *1982*: Dec., 754
  examination of, *1982*: Dec., 654
Purpura, drug-induced, *1983*: Sept., 373, 382–384
Pyoderma gangrenosum, leg ulcers and, *1983*: Sept., 418–419
Pyostomatitis vegetans, *1983*: Sept., 500

Q fever, *1981*: Dec., 682–683
Quadriplegia, hypertensive crisis and, *1983*: March, 53

RADIATION therapy, effect on fetus, *1983*: June, 156
  for basal cell carcinoma, *1983*: Sept., 451–452
Radiography, contrast, in diarrhea, *1981*: June, 293–294
  of gastrointestinal tract, *1981*: June, 209–210
  in Crohn's disease, *1981*: June, 316–317
  in renovascular hypertension, *1983*: March, 66
Radionuclides, in evaluation of ventricular function, *1981*: Sept., **399–413**
Rash, *1983*: Sept., **355–367**
  drug-induced, *1983*: Sept., 371–372, 377–378
Reading disability, in children, *1982*: Dec., 675–677
Reagent strip(s), for blood glucose measurement, *1983*: Dec., 569–572, 577–579
Recommended Dietary Allowances (RDA), *1982*: Sept., 448–454
  estimation of, *1982*: Sept., 606–608
Recurrent abdominal pain (RAP) syndrome, in children, *1981*: June, **277–283**
Red blood cell. See *Erythrocyte*.
"Red eye," differential diagnosis of, *1982*: Dec., 697–701
Reflectance meter(s), for blood glucose measurement, *1983*: Dec., 569–573, 579
Rehabilitation, in myocardial infarction, *1981*: Sept., **491–507**
  of elderly, *1982*: March, **239–247**
Renal artery disease, hypertension and, *1983*: March, **63–74**
Renal biopsy, indications, in pregnancy, *1983*: March, 121
Renal disease, hypertension and, *1983*: March, 5
  in hypertension of pregnancy, *1983*: March, 119–120
  in pregnant diabetic, *1983*: June, 229
  pediatric hypertension and, *1983*: March, 129
Renal failure, chronic, pruritus and, *1983*: Sept., 345–346
Renin activity, plasma, in borderline hypertension, *1983*: March, 105
  in renovascular hypertension, *1983*: March, 67–68
Renovascular hypertension, *1983*: March, 5, **63–74**
Reserpine, in hypertension, *1982*: March, 16
Respiratory distress syndrome, neonatal, in diabetic pregnancy, *1983*: June, 230–231; *1983*: Dec., 755–756
Respiratory infection(s). See also specific disorders, such as *Pneumonia*.
  in diabetes, *1981*: Dec., 711

Respiratory system, changes during pregnancy, *1983*: June, 271
Respiratory tract, lower, obstruction in, *1982*: June, 323
upper, obstruction in, *1982*: June, **317–336**
tonsillectomy and, *1982*: June, 359–362
Retina, anatomy of, *1982*: Dec., 635
detachment, after cataract extraction, *1982*: Dec., 814
diseases, in diabetics, *1982*: Dec., **757–775**
Retinol, dietary requirements, in children, *1982*: Sept., 502
Retinopathy, diabetic, *1982*: Dec., **757–775**
in children, *1983*: Dec., 677–683
in pregnant diabetic, *1983*: June, 229
prevention, diabetic control and, *1983*: Dec., 555–557
reversal, diabetic control and, *1983*: Dec., 558–559
Rheumatic disease, in elderly, *1982*: March, **181–195**
uveitis and, *1982*: Dec., 717–721
Rheumatic fever, prophylaxis, *1981*: Dec., **583–591**
Rhinitis, allergic, *1982*: June, 378–380
nasal obstruction and, *1982*: June, 393–394
Rhythm method, in contraception, *1981*: March, 46
Riboflavin, dietary requirements, in children, *1982*: Sept., 503
in vegetarian diet, *1982*: Sept., 599
Rickets, *1982*: Sept., 502
Rifampicin, hepatotoxic effects of, *1981*: June, 242
Risk factors, intrapartum, *1983*: June, 262
Ritodrine, as labor suppressant, *1983*: June, 302–303
Rotavirus, diarrhea and, *1981*: June, 294–295
Rupture, of papillary muscle, surgical management, *1981*: Sept., 534–536
of ventricular free wall, surgical management, *1981*: Sept., 531–532
of ventricular septum, surgical management, *1981*: Sept., 532–534

SACCHARIN. See also *Sweetener(s)*.
cancer and, *1982*: Sept., 577–578
use of, by diabetics, *1982*: Sept., 568
Salicylate(s), hepatotoxic effects of, *1981*: June, 240
Salivary duct, calculus, *1982*: June, 295–296
Salivary gland(s), disorders of, *1982*: June, 285–286, **291–301**
Salivary gland(s) (*Continued*)
in diagnosis of lump in neck, *1982*: June, 275–277
Salmonellosis, diarrhea and, *1981*: June, 295
Salt. See also *Sodium*.
dietary requirements, in children, *1982*: Sept., 504–505
intake, in diabetes, *1982*: Sept., 566
in pregnancy, *1982*: Sept., 487–488
restriction, in borderline hypertension, *1983*: March, 108
Salt tablets, in athletes, *1982*: Sept., 552
Sarcoidosis, cutaneous, in blacks, *1983*: Sept., 393
uveitis and, *1982*: Dec., 721–722
Sarcoma, Kaposi's, *1983*: Sept., 439–440
Scalp, pruritus of, *1983*: Sept., 342
Schiötz tonometer, *1982*: Dec., 735–737
Schizophrenia, megavitamin therapy and, *1982*: Sept., 611
Scintigraphy, after acute myocardial infarction, *1981*: Sept., 400–407
Sclera, anatomy of, *1982*: Dec., 628–629
inflammation of, *1982*: Dec., 713
Scleritis, *1982*: Dec., 700
Scleroderma, esophageal symptoms and, *1981*: June, 190–192
Sclerosing cholangitis, in ulcerative colitis, *1981*: June, 329–330
Sclerosis, multiple, pruritus and, *1983*: Sept., 349
vertigo in, *1982*: June, 420
Screening, for carcinoma of colon, *1981*: June, 344–346
for glaucoma, *1982*: Dec., 735–738
for gynecologic cancer, *1981*: March, 112–124, **131–140**
Scurvy, *1982*: Sept., 503, 610
Seborrhea, *1983*: Sept., 361–362
Seborrheic keratosis, in blacks, *1983*: Sept., 392
Secretion, ocular, assessment of, *1982*: Dec., 651–652
Secretory diarrhea, *1981*: June, 287
Seizure(s), in elderly, *1982*: March, **133–140**
Senile macular degeneration, *1982*: Dec., **793–799**
Sepsis, puerperal, *1983*: June, 323–324
Sex differentiation, abnormal, *1981*: March, 104–108
Sex-linked disease, *1981*: March, 94–95
Sexual activity, post partum, *1983*: June, 330–331
Sexual development, normal, *1981*: March, 4–8
Sexual dysfunction, *1981*: March, 62–73
in cancer patients, *1981*: March, 126–128
Sexual identity, in anorectics, *1982*: Sept., 526
Sexual response, phases of, *1981*: March, 59–61

Sexuality, human, *1981*: March, **55–76**
in elderly, *1982*: March, **63–67**
Sexually transmitted disease, *1981*: March, 36–38, 40; *1983*: Sept., **429–442**
Shigellosis, diarrhea and, *1981*: June, 296
in homosexuals, *1983*: Sept., 438–439
Shingles. See *Herpes zoster*.
Shock, cardiogenic, assisted circulation in, *1981*: Sept., **438–442**
Sialadenitis, bacterial, *1982*: June, 294–295
Sialolithiasis, *1982*: June, 295–296
Sickle cell anemia, leg ulcers and, *1983*: Sept., 415–416
Sigmoidoscopy, in carcinoma of colon, *1981*: June, 344–345. See also *Proctosigmoidoscopy*.
Sinus rhythm disturbances, in acute myocardial infarction, *1981*: Sept., 446–452
Sinusitis, allergic, *1982*: June, 380–381
Sipple's syndrome, *1983*: Sept., 506
Sjögren's syndrome, *1982*: June, 295
pruritus and, *1983*: Sept., 349
Skin, disorders. See *Dermatologic diseases* or under specific disorder, as *Pruritus*.
Skin graft, basal cell carcinoma and, *1983*: Sept., 447
for leg ulcers, *1983*: Sept., 426–427
Skinfold thickness, measurement, *1982*: Sept., 582–583
Sleep apnea, obstructive, tonsillectomy and, *1982*: June, 359–360
Smoking, cigarette, diabetic retinopathy and, *1982*: Dec., 772–773; *1983*: Dec., 682
effects on fetus, *1983*: June, 154
hypertension and, *1983*: March, 7
in pregnancy, *1982*: Sept., 487
Snack(s), for children, *1982*: Sept., 515
for diabetics, *1982*: Sept., 562
Snellen chart, in testing of visual acuity, *1982*: Dec., 653
Sodium. See also *Salt*.
replacement, in diabetic ketoacidosis, *1983*: Dec., 670
Sodium nitroprusside, in acute myocardial infarction, *1981*: Sept., 473
Soft tissue infection(s), in diabetes, *1981*: Dec., 709–710
Somogyi phenomenon, *1983*: Dec., 641
Sonography. See *Ultrasonography*.
Spectacles, prescription, after cataract extraction, *1982*: Dec., 811
Speech. See also *Voice*.
disorders, adenoidectomy and, *1982*: June, 362–366
lump in neck and, *1982*: June, 273–274
hoarse, *1982*: June, **337–354**
Spermicide(s), in contraception, *1981*: March, 47
Spinal anesthesia, *1983*: June, 277
Sport activity(ies), caloric expenditures of, *1982*: Sept., 546
cutaneous lesions and, *1983*: Sept., **479–494**
diabetes and, *1983*: Dec., **653–662**
diet and, *1982*: Sept., **545–555**
Spray units, cryosurgical, *1983*: Sept., 466–468
Squamous cell carcinoma, oral lesions in, *1983*: Sept., 507
Squint. See *Strabismus*.
Staphylococcal endocarditis, *1981*: Dec., 744–745
Staphylococcus aureus, in toxic-shock syndrome, *1981*: March, 38–39; *1981*: Dec., 628–630
Starvation, self-imposed, *1982*: Sept., **517–530**
Steatorrhea, diarrhea and, *1981*: June, 304–305
"Stepped care," in elderly hypertensives, *1983*: March, 137–138
in hypertension, *1983*: March, 10–18, 32
Sterility, analysis of, *1981*: March, **77–88**
Sterilization, tubal, *1981*: March, 50–51, 86
reanastomosis after, *1981*: March, 85–86
variation in rate of, *1981*: March, 169–171
Steroid(s), topical, in dermatologic therapy, *1983*: Sept., 522–523
ophthalmic, *1982*: Dec., 747–748
Steroid hormone(s), overproduction, hypertension and, *1983*: March, **87–98**
Stevens-Johnson syndrome, oral lesions in, *1983*: Sept., 510
Sting(s), adverse reactions to, in athletes, *1983*: Sept., 485–486
Stomatitis, denture, *1983*: Sept., 508
Stomatitis medicamentosa, *1983*: Sept., 501–502
Strabismus, in children, *1982*: Dec., 668–673
treatment of, *1982*: Dec., 673–675
Streptococcal endocarditis, *1981*: Dec., 742–743
Streptococcal neurosis, *1981*: Dec., **583–591**
Streptococcal pharyngitis, in children, *1981*: Dec., **571–581**
treatment failure in, *1981*: Dec., **583–591**
Stress(ors), effect on diabetic diet, *1983*: Dec., 611–612
effect on insulin therapy, *1983*: Dec., 641–646
sexual dysfunction and, *1981*: March, 71–72
Stress testing, in diabetic pregnancy, *1983*: June, 234–236
in fetal assessment, *1983*: June, 181–188
Stridor, in airway obstruction, *1982*: June, 219
lump in neck and, *1982*: June, 273

Stroke, rehabilitation, in elderly, *1982*: March, **239–247**
visual loss with, *1982*: Dec., 693
Stye, *1982*: Dec., 707
Submandibular gland, anatomy, *1982*: June, 292–293
bimanual examination of, *1982*: June, 278
Sugar, cariogenic properties, in children, *1982*: Sept., 500–501
Sulfasalazine, in ulcerative colitis, *1981*: June, 327–328
Sulfonylurea(s), to control blood sugar levels, *1982*: March, 46–47
Sun exposure, in etiology of basal cell carcinoma, *1983*: Sept., 443–444
Sunburn, in athletes, *1983*: Sept., 479–481
Supraglottitis, acute, in children, *1982*: June, 327–329
Surgery, cryogenic, for basal cell carcinoma, *1983*: Sept., 450–451
excisional, for basal cell carcinoma, *1983*: Sept., 449–450
for cataracts, *1982*: Dec., 808–815
for glaucoma, *1982*: Dec., 740
for weight loss, *1982*: Sept., 590–591
indications for, in infective endocarditis, *1981*: Dec., 747–748
insulin management during, *1983*: Dec., 644
Mohs, for basal cell carcinoma, *1983*: Sept., 452–454
ophthalmic, in diabetics, *1983*: Dec., 684–688
in elderly, *1982*: March, **173–179**
orthopedic, in elderly, *1982*: March, **197–208**
sexual dysfunction after, *1981*: March, 71
Swallowing, disorders, *1981*: June, **181–194**
in airway obstruction, *1982*: June, 320
in elderly, *1982*: March, 31–32
lump in neck and, *1982*: June, 270–271
pain, lump in neck and, *1982*: June, 271
Swan-Ganz catheter, insertion and maintenance of, *1981*: Sept., 432–433
Sweetener(s), use of, by diabetics, *1982*: Sept., 567–569; *1983*: Dec., 612–613
Syphilis, in homosexuals, *1983*: Sept., 438
leg ulcers and, *1983*: Sept., 417–418
oral lesions in, *1983*: Sept., 501
primary, *1981*: March, 37–38
secondary, *1981*: March, 38
uveitis and, *1982*: Dec., 725
vertigo in, *1982*: June, 423
Systolic time intervals, in evaluation of left ventricular function, *1981*: Sept., 392–395

TACHYARRHYTHMIA(S), in acute myocardial infarction, *1981*: Sept., 451–456, **464–465**
Talon noir, in athletes, *1983*: Sept., 483–484
Tampons, toxic-shock syndrome and, *1981*: March, 38–39; *1981*: Dec., 628–629, 632
Tearing preparations, *1982*: Dec., 748–749
Technetium-99m stannous pyrophosphate, in acute myocardial infarct scintigraphy, *1981*: Sept., 400–404
Teeth. See under *Dental problems*.
Temporomandibular joint, disorders, in elderly, *1982*: March, 210–212
Terbutaline, as labor suppressant, *1983*: June, 303
Test(ing), laboratory. See *Laboratory test(ing)*.
of diabetic control. See *Blood glucose, self-monitoring of*.
Test strip(s). See *Reagent strip(s)*.
Tetanus, in elderly, *1982*: March, 23–25
Thallium-201 imaging, cardiac, *1981*: Sept., 404–407
Therapy, diet. See *Diet, therapy*.
drug. See *Drug(s), therapy*, and under specific agent.
megavitamin, *1982*: Sept., **605–619**
psychodynamic, in anorexia nervosa, *1982*: Sept., 526–527
Thiamin, dietary requirements, in children, *1982*: Sept., 503
Thiazide(s), in hypertensive pregnancy, *1983*: June, 245
Thrombophlebitis, acute, in elderly, *1982*: March, 104–106
Thrombosis, renal vein, neonatal, in diabetic pregnancy, *1983*: Dec., 758
Thyroglossal duct cyst, *1982*: June, 284
Thyroid, hyperfunctioning nodule, therapy for, *1982*: June, 312–314
hypofunctioning nodule, therapy for, *1982*: June, 314–315
nodule, evaluation of, *1982*: June, 308–312
Thyroid disease(s), ocular symptoms in, *1982*: Dec., 689
Thyroid gland, function, testing of, *1982*: June, 305–307
mass in, *1982*: June, **303–316**
Thyroiditis, *1982*: June, 307
Tic, facial, Bell's palsy and, *1982*: June, 435–436
Timolol, for glaucoma, *1982*: Dec., 739, 750
Tinea pedis, in athletes, *1983*: Sept., 490–491
Tinnitus, in elderly, *1982*: March, 169–170
Tissue destruction, cryogenic, *1983*: Sept., **459–478**
Tocolytic drug(s), in preterm labor, *1983*: June, 297–305. See also specific drug, as *Ritodrine*.
Tongue, changes, disease and, *1982*: March, 213–217
lesions of, *1983*: Sept., 507

Tongue base, digital examination of, *1982*: June, 280–282
Tonometry, for glaucoma, *1982*: Dec., 735–737
Tonsillectomy, indications for, *1982*: June, **355–369**
Tonsillitis, chronic, tonsillectomy and, *1982*: June, 362
Tooth, decay. See *Dental caries*.
Topical therapy, dermatologic, *1983*: Sept., **513–524**
Toxic epidermal necrolysis, drug-induced, *1983*: Sept., 373, 382–383
Toxic shock syndrome, *1981*: March, 38–39; *1981*: Dec., **625–633**
Toxicity, of megavitamin therapy, *1982*: Sept., 616–617
Toxin(s), diabetes and, *1983*: Dec., 538
Toxocariasis, ocular, *1982*: Dec., 724–725
Toxoplasmosis, ocular, *1982*: Dec., 722–724
Trachea, pediatric, foreign bodies in, *1982*: June, 332–333
  traumatic injury of, *1982*: June, 333–334
Transient ischemic attack. See also *Stroke*.
  visual loss with, *1982*: Dec., 693
Transplantation, of cornea, *1982*: Dec., 704–705
  of pancreas, in diabetics, *1982*: Dec., **707–716, 717–722**
Trauma, in athletes, cutaneous lesions and, *1983*: Sept., 479–486
  ocular, *1982*: Dec., 689, **777–792**
Travel, effect on insulin therapy, *1983*: Dec., 644–645
Traveler's diarrhea, *1981*: June, 297–298
Trichomonas vaginalis infection, *1981*: March, 35; *1981*: Dec., 636–641
Trimethaphan, in hypertensive emergencies, *1983*: March, 57
Tropia. See *Strabismus*.
Tuba uterina, patency of, *1981*: March, 84–86
Tuberculosis, in diabetes, *1981*: Dec., 711
  in elderly, *1982*: March, 21–23
  leg ulcers and, *1983*: Sept., 418
  pneumonia and, *1981*: Dec., 683
Tumor(s). See also *Cancer; Carcinoma; Malignant disease(s);* and under specific body part.
  hepatic, oral contraceptives and, *1981*: June, 247–248
  in etiology of hypertension, *1983*: March, 5, **75–86**
  laryngeal, in evaluation of hoarseness, *1982*: June, 347–349
  nasal, *1982*: June, 391–392
  of cerebellopontine angle, vertigo in, *1982*; June, 425–426
  of head and neck, in elderly, *1982*: March, 166–167
Tumor(s) (*Continued*)
  of neck, management of, *1982*: June, **269–289**
  of salivary gland, *1982*: June, 298–300
Two-dimensional echocardiography, in evaluation of left ventricular function, *1981*: Sept., 387–390
Tympanitis, *1982*: June, **401–412**

ULCER(S), aphthous, *1983*: Sept., 502–503
  cutaneous, occlusive therapy for, *1983*: Sept., 425–426, 521–522
  duodenal, cimetidine in, *1981*: June, 198–199
  factitial, *1983*: Sept., 421
  gastric, cimetidine in, *1981*: June, 199–200
  of leg, *1983*: Sept., **411–427**
  oral, *1983*: Sept., 508
  peptic, gastrointestinal bleeding and, *1981*: June, 210–211
    in children, *1981*: June, 281
  stasis, in elderly, *1982*: March, 105–106
Ulcerative colitis, abdominal pain and, *1981*: June, 281
  chronic, management of, *1981*: June, **321–333**
Ultrasonography, in assessment of jaundice, *1981*: June, 221–222
  in carotid artery disease, *1982*: March, 122
  in diabetic pregnancy, *1983*: June, 237
  in ectopic pregnancy, *1983*: June, 164, 169–170
  in obstetrics, *1983*: June, **205–223**
Unna's boot, for leg ulcers, *1983*: Sept., 425–426
Urethral syndrome, in menopause, *1981*: March, 155
Urethritis, *1981*: March, 42
Urinary tract, disorders, in elderly, *1982*: March, 69–73
  infections, in diabetes, *1981*: Dec., 708–709
    in elderly, *1982*: March, 25–28
  postpartum changes in, *1983*: June, 311
Urine glucose, testing of, vs. blood glucose testing, *1983*: Dec., 566–567
Urography, in detection of renovascular hypertension, *1983*: March, 67–68
Ursodeoxycholic acid, in dissolution of gallstones, *1981*: June, 272–273
Urticaria, drug-induced, *1983*: Sept., 374, 383
  physical, exacerbation in athletes, *1983*: Sept., 492
Uterine activity, assessment of, in normal labor, *1983*: June, 254–255
  dysfunctional, *1983*: June, 286–288

Uterus, disorders, in elderly, *1982*: March, 57
postpartum complications, *1983*: June, 322
postpartum involution of, *1983*: June, 310
Uvea, anatomy of, *1982*: Dec., 632–634
Uveitis, *1982*: Dec., **715–728**

VACCINATION. See *Immunization(s)* and under specific diseases.
Vagina, anomaly of, *1981*: March, 40–41
infections, *1981*: March, **33–43**
in elderly, *1982*: March, 56
Vaginal discharge, laboratory examination, *1981*: Dec., 637–639
Vaginitis, infectious, management of, *1981*: Dec., **635–642**
Valvular heart disease, in elderly, *1982*: March, 79–84
Varicella-zoster immune globulin, *1981*: Dec., 729
Varicella-zoster virus, *1981*: Dec., 716–717
Varice(s), bleeding esophageal, *1981*: June, 211
Varicose vein(s), in elderly, *1982*: March, 106–107
Vascular disease, peripheral, evaluation of, *1982*: March, **113–119**
in elderly, *1982*: March, **107–111**
seizures in elderly and, *1982*: March, 136–137
vertigo in, *1982*: June, 419–420
Vasculitis, leg ulcers and, *1983*: Sept., 414–415
Vasodilating agent(s), in hypertension, *1983*: March, 15–16
in myocardial infarction, *1981*: Sept., **467–481**
Vegetarian diet(s), *1982*: Sept., **595–603**
in lactating women, *1982*: Sept., 494
in pregnancy, *1982*: Sept., 485
Venereal disease(s), *1981*: March, 36–38, 40; *1983*: Sept., **429–442**
Venous disease(s), in elderly, *1982*: March, **103–107**
Venous insufficiency, leg ulcers and, *1983*: Sept., 412–414
Ventricular fibrillation, in acute myocardial infarction, *1981*: Sept., 456
Ventricular free wall rupture, surgical management, *1981*: Sept., 531–532
Ventricular function, determinants of, *1981*: Sept., 468–471
Ventricular septal rupture, with myocardial infarction, coronary arteriography in, *1981*: Sept., 419–420
surgical management, *1981*: Sept., 532–534
vasodilator drugs in, *1981*: Sept., 478–479
Verruca. See *Wart(s)*.
Vertigo, evaluation of, *1982*: June, **413–427**; *1982*: Dec., 652
Vesicle(s), drug-induced, *1983*: Sept., 374, 384
Viral hepatitis, *1981*: Dec., **643–672**
Viral infection(s), in athletes, *1983*: Sept., 488–490
laboratory tests in, *1981*: Dec., 600–601
Viral pneumonia, *1981*: Dec., 681–682
Virus(es), diabetes and, *1983*: Dec., 537
Vision, color, defects of, *1982*: Dec., 649
disorders, in elderly, *1982*: March, **173–179**
double, *1982*: Dec., 688
loss, causes of, *1982*: Dec., 649
in diabetes, *1982*: Dec., 762–763; *1983*: Dec., 682–683
in senile macular degeneration, *1982*: Dec., 795
in systemic disease, *1982*: Dec., 683–685
in temporal arteritis, *1982*: Dec., 695
sudden, causes of, *1982*: Dec., 658–659
transient, *1982*: Dec., 693
Visual acuity testing, *1982*: Dec., 652–654
cataracts and, *1982*: Dec., 802–805
in children, *1982*: Dec., 654, **661–666**
in diabetics, *1982*: Dec., 767–768
Visual field defect, causes of, *1982*: Dec., 649
Visual field examination, *1982*: Dec., 654
Visual motor tests, in elderly, *1982*: March, 161
Visual rehabilitation, after cataract extraction, *1982*: Dec., 810–812
Vitamin(s), cancer and, *1982*: Sept., 576
deficiencies, in elderly, *1982*: March, 224–225
dietary requirements, *1982*: Sept., 451
in athletes, *1982*: Sept., 551
in children, *1982*: Sept., 502–503
mega doses of, *1982*: Sept., **605–619**
supplemental, in infants, *1982*: Sept., 509
in pregnancy, *1983*: June, 153–154
Vitamin A, dietary requirements, in children, *1982*: Sept., 502
mega doses of, *1982*: Sept., 612–613
Vitamin B, deficiency, in pregnancy, *1982*: Sept., 483–485
dietary requirements, in children, *1982*: Sept., 503
Vitamin B_{12}, dietary requirements, *1982*: Sept., 608
in pregnancy, *1982*: Sept., 484–485
in vegetarian diet, *1982*: Sept., 599
Vitamin C, dietary requirements, in children, *1982*: Sept., 503
mega doses of, *1982*: Sept., 610–611, 615–616
Vitamin D, dietary requirements, in children, *1982*: Sept., 502

Vitamin D (*Continued*)
in vegetarian diet, *1982*: Sept., 599
mega doses of, *1982*: Sept., 609–610, 613–614
supplementation, in pregnancy, *1982*: Sept., 485
Vitamin E, dietary requirements, in children, *1982*: Sept., 502–503
mega doses of, *1982*: Sept., 609, 614–615
Vitamin K, dietary requirements, *1982*: Sept., 608–609
in children, *1982*: Sept., 503
mega doses of, *1982*: Sept., 615
Vitrectomy, *1982*: Dec., 768–770; *1983*: Dec., 686–688
Vitreous, anatomy of, *1982*: Dec., 637
surgery of, *1982*: Dec., 768–770
Vocal cord(s), disorders, *1982*: June, **337–354**
paralysis, *1982*: June, 352–354
airway obstruction and, *1982*: June, 324–326
Voice, disorders, *1982*: June, **337–354**
Vulva, carcinoma of, *1981*: March, 121–124
disorders, in elderly, *1982*: March, 54–55
Vulvar biopsy, in cancer screening, *1981*: March, 123–124

WALDEYER'S ring, *1982*: June, 356–357
Wart(s), cryosurgery for, *1983*: Sept., 473
viral, in athletes, *1983*: Sept., 488–490
Warthin's tumor, *1982*: June, 299–300
Water, dietary requirements, in athletes, *1982*: Sept., 548
in children, *1982*: Sept., 501–502
Weight. See also *Body weight*.
control, in athletes, *1982*: Sept., 553–554
in diabetics, *1982*: Sept., 564–565
Weight (*Continued*)
excess. See *Obesity*.
gain, in pregnancy, *1982*: Sept., 479–481; *1983*: June, 152–153
loss. See also under such topics as *Anorexia nervosa; Diet(s)*.
amenorrhea and, *1981*: March, 19–31
in borderline hypertension, *1983*: March, 108–109
in hospitalized elderly, *1982*: Sept., 533
Wilson's disease, *1981*: March, 109
Wound, healing, in diabetes, *1981*: Dec., 696–697
infection, in diabetes, *1981*: Dec., 709–710
Wrestlers, infections in, *1983*: Sept., 487–488

XEROSIS, pruritus and, *1983*: Sept., 343–344, 346

YEAST vaginitis, *1981*: Dec., 636–641

ZENKER'S diverticulum, esophageal symptoms and, *1981*: June, 193
Zinc, dietary requirements, in children, *1982*: Sept., 504
Zinc oxide paste, in topical therapy, *1983*: Sept., 518–519
Zollinger-Ellison syndrome, cimetidine in, *1981*: June, 197–198
Zoster, herpes, *1981*: Dec., **715–731**; *1982*: Dec., 704